


Housing	Bearings	Fixing rings (2x)	Regulation disc
SNC505	1205K	FR 52x5	RDC505
	2205K	FR 52x3,5	
	22205K	FR 52x3,5	

PDF technical sheet SNC505



Split plummer block housings SNC (D)

split plummer block for bearings on adapter sleeve, made of grey cast, for grease lubrication



Product definition	
d	20 mm
a	165 mm
b	46 mm
c	19 mm
g	25 mm
h	40 mm
h1	74 mm
l	67 mm
l1	79 mm
l2	134 mm
l3	85
m	130 mm
m1	116 mm
m3	101 mm
n1	28 mm
m2	152 mm
n2	32 mm
diameter dowel pins	5 mm
u	15 mm
v	20 mm
D	52 mm
z	2 mm
housing weight	1.60 kg
Material of Housing	grey cast
initial grease quantity	30 ccm
Brand	SNR

Sealings and cover	
sealing DS	SC 505 DS
sealing LA	SC 505 LA
sealing SV	SC 505 SV
sealing TA	SC 505 TA
sealing FS	SC 505 FS
end cover EC	SC505EC
Vring option	V20A

Screws	
fixing bolts G	M12
recommended torque	65 Nm
Connection bolts	M10x40
recommended torque	35 Nm
maximum loads 120°	60 kN
maximum loads 150°	35 kN
maximum loads 180°	30 kN

Breaking loads	
P 0°	180 kN
P 55°	160 kN
P 90°	95 kN
P 120°	70 kN
P 150°	60 kN
P 180°	80 kN