

tesa® 4309 PV1

Temperature resistant masking tape for paint spraying up to 120 °C

PRODUCT INFORMATION

Product Description

tesa® 4309 is a finely crêped, extremely stretchable and flexible paper masking tape for paintspraying with subsequent oven-drying up to a temperature of 120 °C.

Main Application

tesa® 4309 can be used on painted metal, rubber, glass and chromed parts.

Technical Data

■ Backing material	slightly-creped paper	■ Elongation at break	12 %
■ Total thickness	170 µm	■ Tensile strength	47 N/cm
■ Type of adhesive	natural rubber	■ Temperature resistance	120 °C
■ Adhesion to steel	3.5 N/cm		

Properties

■ Hand tearability	++	■ Sharp colour edge	+
■ Easy to remove	yes	■ Conformability	+
■ Paint anchorage	++		

Evaluation across relevant tesa® assortment: ++ very good, + good, o medium, - low

Additional Info

The product is resistant to wet sanding and the very good adhesion of fillers or paints (water- or solvent-based) to the reverse side of the tape prevents any kind of flaking.

After the oven drying process with temperatures up to 120 °C tesa® 4309 can be easily removed without tearing and without leaving any residues.

For latest information on this product please visit <http://l.tesa.com/?ip=04309>

Page 1 of 1 / As of 12/15/15