

## SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/4

## Sifphosphor Bronze No 8

Revision 0
evision date 2011-02-11

	Revision date 2011-02-11
SECTION 1: Identification o	f the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Sifphosphor Bronze No 8
Product code	RO08[12/16/24/32][01/25/50]
1.2. Relevant identified uses of	f the substance or mixture and uses advised against
Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [SU15] Manufacture of fabricated metal products, except machinery and equipment; [PC38] Welding and soldering products (with flux coatings or flux cores.), flux products;
1.3. Details of the supplier of the	ne safety data sheet
Company	Weldability   Sif
Address	Peters House, The Orbital Centre, Icknield Way, Letchworth Garden City, Hertfordshire, SG6 1ET. UK.
Telephone	www.weldability-sif.com 0870 330 7757
Fax	0800 970 7757
Email	service@weldability-sif.com
Email address of the competent person	msds@weldability-sif.com
1.4. Emergency telephone num	nber
Emergency telephone number	0870 330 7757
Company	Weldability Sif
	8.30 to 5.30 Mon - Fri
SECTION 2: Hazards identif	fication
2.1. Classification of the substa	ance or mixture
Main hazards	No Significant Hazard

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

## Sifphosphor Bronze No 8

Revision 0
Revision date 2011-02-11

### 3.2. Mixtures

### 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EINECS No.	REACH Registration Number	Conc. (%w/w) Classification
Copper (Copper fume)		7440-50-8	231-159-6		90 - 100%
Tin		7440-31-5	231-141-8		4 - 10%
Phosphorus, red (Phosphorus, yellow)	015-002-00-7	7723-14-0	231-768-7		0 - 0.5% F; R11 R16 R52-53
Iron		7439-89-6	231-096-4		0 - 0.5%
Zinc powder - zinc dust	030-002-00-7	7440-66-6	231-175-3		0 - 0.5% N; R50/53
Lead (Lead)		7439-92-1	231-100-4		0 - 0.5%
aluminium powder (stabilised) (Aluminium metal total inhalable dust)	013-002-00-1	7429-90-5	231-072-3		0 - 0.5% F; R11-15

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.		
Eye contact	Avoid contact with eyes. Seek medical attention.		
Skin contact	Wash off immediately with plenty of soap and water.		
Ingestion	If swallowed, seek medical advice immediately and show this container or label.		

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Extinguishing media. Carbon dioxide (CO2). Dry chemical. For large fires:. Alcohol resistant foam. Water jet.

#### 5.3. Advice for firefighters

Self-contained breathing apparatus. Wear suitable respiratory equipment when necessary.

### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid formation of dust. Ensure adequate ventilation of the working area.

### 6.3. Methods and material for containment and cleaning up

Sweep up. No specific clean up requirements. Refer to disposal considerations in Section 13.

### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Wear suitable gloves.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed and dry.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

### 8.1.1. Exposure Limit Values

## Sifphosphor Bronze No 8

Revision 0 Revision date 2011-02-11

### 8.1. Control parameters

aluminium powder (stabilised)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 4
(Aluminium metal respirable		
dust)		
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
aluminium powder (stabilised)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
(Aluminium metal total inhalable		
dust)		
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
Copper (Copper dusts and mists (as Cu))	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 1
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
Copper (Copper fume)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 0.2
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
Lead (Lead)	DIR: 82/605	8hTWA ppm: -
	8hTWA mg/m3: 0.15	STEL ppm: -
	STEL mg/m3: -	NOT: -
Phosphorus, red (Phosphorus, yellow)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 0.1
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 0.3

### 8.2. Exposure controls







8.2.1. Appropriate engineering controls

8.2.2. Individual protection measures

Eye / face protection

Skin protection -Handprotection Respiratory protection Keep away from foodstuffs, beverages and feed.

Use appropriate personal protective equipment.

Wear suitable protective clothing and eye/face protection.

Wear suitable gloves.

In case of insufficient ventilation, wear suitable respiratory equipment.

### SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State	Solid
Colour	Brown
Odour	Characteristic
Melting point	900 - 1050 °C

### SECTION 10: Stability and reactivity

### 10.2. Chemical stability

Stable under normal conditions.

### 10.6. Hazardous decomposition products

None.

### **SECTION 11: Toxicological information**

# Sifphosphor Bronze No 8

Revision 0 Revision date 2011-02-11

11.	1. li	nformation	on	toxicol	ogical	effects
-----	-------	------------	----	---------	--------	---------

Skin corrosion/irritation  May cause irritation to skin in susceptible persons.			
Respiratory or skin sensitisation	May cause sensitisation by inhalation. Inhalation may cause nausea and vomiting. May cause drowsiness or dizziness.		
SECTION 12: Ecological inf	ormation		
Further information			
	Avoid release to the environment. Refer to special instructions/Safety data sheets.		
SECTION 13: Disposal cons	siderations		
General information			
	This material and its container must be disposed of in a safe way.		
Disposal methods			
	Dispose of in compliance with all. local and national regulations.		
SECTION 14: Transport info	rmation		
ADR/RID			
	The product is not classifed as dangerous for carriage.		
IMDG			
	The product is not classifed as dangerous for carriage.		
IATA	Γ=- · · · · · · · · · · · · · · · · · · ·		
	The product is not classifed as dangerous for carriage.		
SECTION 15: Regulatory in	formation		
Labelling			
Risk phrases	No Significant Hazard.		
SECTION 16: Other information	tion		
Other information			
Text of risk phrases in Section 3	R11- Highly flammable. R15 - Contact with water liberates extremely flammable gases. R16 - Explosive when mixed with oxidising substances. R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.		
General information			
	The information supplied in this safety data sheet is designed only as guidance for safe use, storage and handling of the product. This information relates only to the specific goods listed and may not be valid for such material used in combination with any other product(s). This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy.		