Version: N°2 (07/11/2017) RUBIX ENGINEERING

GISS FLASH NHP TX-1

SAFETY DATA SHEET

Date: 14/12/2018 Page 1/9 Revision: N°2 (01/09/2015)

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: GISS FLASH NHP TX-1 20L

Product code: 845152

1.2. Relevant identified uses of the substance or mixture and uses advised against

Cleaner for hard surfaces for professional user.

1.3. Details of the supplier of the safety data sheet

Rubix Engineering 31, Rue de la Baume 75008 PARIS, France Tel: +33 (0)1.44.86.08.10 infoclient@giss.fr

1.4. Emergency telephone number: 01 45 42 59 59.

Association/Organisation: ORFILA.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin corrosion, Category 1B (Skin Corr. 1B, H314).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site. This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

Detergent mixture (see section 15).

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:



GHS05

Signal Word : DANGER

Product identifiers:

FATTYALCOHOL ETHOXYLATED

011-002-00-6 SODIUM HYDROXIDE

Hazard statements:

H314 Causes severe skin burns and eye damage.

Precautionary statements - Prevention :

P280 Wear protective gloves eye protection/face protection.

Precautionary statements - Response :

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water [or shower].

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Version: N°2 (07/11/2017)

RUBIX ENGINEERING

GISS FLASH NHP TX-1

Precautionary statements - Disposal:

P501 Dispose of contents/container in a center of elimination approved in

compliance with the local regulations.

Date: 14/12/2018 Page 2/9 Revision: N°2 (01/09/2015)

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

Identification	(EC) 1272/2008	Note	%
REACH: non soumis	GHS07, GHS05		2.5 <= x % < 10
	Dgr		
FATTYALCOHOL ETHOXYLATED	Acute Tox. 4, H302		
	Eye Dam. 1, H318		
EC: 230-785-7	GHS07		$2.5 \le x \% < 10$
REACH: 01-2119489369-18	Wng		
	Eye Irrit. 2, H319		
POTASSIUM PYROPHOSPHATE			
QUATERNARY COMPOUND	GHS07, GHS05		$0 \le x \% < 2.5$
	Dgr		
	Acute Tox. 4, H302		
	Skin Irrit. 2, H315		
	Eye Dam. 1, H318		
INDEX: 011-002-00-6	GHS05	[1]	$0 \le x \% < 2.5$
EC: 215-185-5	Dgr		
REACH: 01-2119457892-27	Skin Corr. 1A, H314		
SODIUM HYDROXIDE			
INDEX: 019-002-00-8	GHS05, GHS07	[1]	$0 \le x \% < 2.5$
EC: 215-181-3	Dgr		
	Acute Tox. 4, H302		
POTASSIUM HYDROXIDE	Skin Corr. 1A, H314		

Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

In the event of splashes or contact with skin:

Remove any soiled or splashed clothing immediately.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

Wash carefully the skin with some water.

In the event of swallowing:

Do not give the patient anything orally.

Seek medical attention immediately, showing the label.

RUBIX ENGINEERING

GISS FLASH NHP TX-1

Date: 14/12/2018 Page 3/9

Revision: N°2 (01/09/2015)

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

Can return the ground slipping.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Neutralise with an acidic decontaminant.

If the ground is contaminated, once the product has been recovered by sponging with an inert and non-combustible absorbent material, wash the contaminated area in plenty of water.

Clean with water.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

Fire prevention:

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

Version: N°2 (07/11/2017) RUBIX ENGINEERING

GISS FLASH NHP TX-1

Date: 14/12/2018 Page 4/9 Revision: N°2 (01/09/2015)

7.2. Conditions for safe storage, including any incompatibilities

To preserve at the shelter of freezing.

To avoid the metallic containers

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- Belgium (Order of 19/05/2009, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
1310-73-2	2 mg/m3			M	
1310-58-3		2 mg/m3		M	

- France (INRS - ED984:2016):

CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
1310-73-2	-	2	-	-	-	-
1310-58-3	-	-	-	2	-	-

- Spain (Instituto Nacional de Seguridad e Higiene en el Trabajo (INSHT), Mayo 2010) :

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
1310-73-2		2 mg/m3			
1310-58-3		2 mg/m3			

- Netherlands / MAC-waarde (SER, 4 May 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
1310-73-2	-	-	2	-	-

- Sweden (AFS 2007:2):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
1310-73-2	1 mg/m3		2 mg/m3		
1310-58-3	1 mg/m3		2 mg/m3		

- UK / WEL (Workplace exposure limits, EH40/2005, 2007):

(,	, , .		
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
1310-73-2		2 mg/m3			
1310-58-3		2 mg/m3			

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

GISS FLASH NHP TX-1

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Date: 14/12/2018 Page 5/9

Revision: N°2 (01/09/2015)

Type of gloves recommended:

- Natural latex
- PVC (polyvinyl chloride)

Recommended properties:

- Impervious gloves in accordance with standard EN374

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Wear suitable protective clothing and, in particular, an apron and boots. These items of clothing shall be maintained in good condition and cleaned after use.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information:

Physical state: Fluid liquid.

Important health, safety and environmental information

pH: 13.00.

Strongly basic.

Boiling point/boiling range:

Flash point interval:

Not relevant.

Vapour pressure (50°C):

Not relevant.

Density: > 1
Water solubility: Soluble.
Melting point/melting range: Not specified.
Self-ignition temperature: Not specified.
Decomposition point/decomposition range: Not specified.

9.2. Other information

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

Version: N°2 (07/11/2017)

RUBIX ENGINEERING

GISS FLASH NHP TX-1

Date: 14/12/2018 Page 6/9 Revision: N°2 (01/09/2015)

10.4. Conditions to avoid

Avoid:

- frost

10.5. Incompatible materials

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

May cause irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis, following exposure between three minutes and one hour.

Corrosive reactions are typified by ulcers, bleeding, bloody scabs, and, by the end of observation at 14 days, by discolouration due to blanching of the skin, complete areas of alopecia, and scars.

11.1.1. Substances

Acute toxicity:

QUATERNARY COMPOUND

Oral route : LD50 = 833 mg/kg

Species: Rat

POTASSIUM PYROPHOSPHATE (CAS: 007320-34-5)

Oral route : LD50 > 2000 mg/kg

Species: Rat

Dermal route : LD50 > 7940 mg/kg

Species: Rabbit

Germ cell mutagenicity:

QUATERNARY COMPOUND

Ames test (in vitro): Negative.

Specific target organ systemic toxicity - single exposure :

QUATERNARY COMPOUND

Species: Rat

11.1.2. Mixture

No toxicological data available for the mixture.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

QUATERNARY COMPOUND

Fish toxicity: Duration of exposure: 96 h

POTASSIUM PYROPHOSPHATE (CAS: 007320-34-5)

Fish toxicity: LC50 > 100 mg/l

Species : Trutta iridea Duration of exposure : 96 h

OECD Guideline 203 (Fish, Acute Toxicity Test)

FATTYALCOHOL ETHOXYLATED

Version : N°2 (07/11/2017)

RUBIX ENGINEERING

GISS FLASH NHP TX-1

Fish toxicity: LC50 > 10 mg/l

Crustacean toxicity: EC50 > 10 mg/l

Species: Daphnia sp.

Date: 14/12/2018 Page 7/9

Revision: N°2 (01/09/2015)

Algae toxicity: ECr50 > 10 mg/l

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

Preparation worked out with the surface-active biodegradable ones according to the legislation in force

12.2.1. Substances

QUATERNARY COMPOUND

Biodegradability: Rapidly degradable.

FATTYALCOHOL ETHOXYLATED

Biodegradability: Rapidly degradable.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2017 - IMDG 2016 - ICAO/IATA 2017).

14.1. UN number

3267

14.2. UN proper shipping name

UN3267=CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

(sodium hydroxide, fattyalcohol ethoxylated)

Version: N°2 (07/11/2017)

RUBIX ENGINEERING

GISS FLASH NHP TX-1

14.3. Transport hazard class(es)

- Classification:



14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	8	C7	III	8	80	5 L	274	E1	3	Е

Date: 14/12/2018 Page 8/9 Revision: N°2 (01/09/2015)

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ
	8	-	III	5 L	F-A,S-B	223 274	E1

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	8	-	III	852	5 L	856	60 L	A3	E1
								A803	
	8	-	III	Y841	1 L	-	-	A3	E1
								A803	

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 1297/2014.

- Container information:

No data available.

- Particular provisions :

No data available.

- Labelling for detergents (EC Regulation No. 648/2004,907/2006):

- less than 5 %: phosphates

- less than 5 %: phosphonates

- less than 5 % : cationic surfactants

- less than 5 %: amphoteric surfactants

- 5 % or over but less than 15 %: nonionic surfactants

15.2. Chemical safety assessment

No data available.

Version: N°2 (07/11/2017)

RUBIX ENGINEERING

GISS FLASH NHP TX-1

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

Date: 14/12/2018 Page 9/9 Revision: N°2 (01/09/2015)

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

This information relates to the specific product designated and may not be valid in combination with other product(s).

Wording of the phrases mentioned in section 3:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS05: Corrosion

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.