Revision date: 10/07/2018 Revision: 4 Supersedes date: 12/06/2017

5L SUPER PROFESSIONAL HEAVY DUTY KITCHEN DEGREASER C17

Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P337+P313 If eye irritation persists: Get medical advice/ attention.

P280 Wear protective clothing and gloves.

P501 Dispose of contents/ container in accordance with local regulations.

Contains ALCOHOLS, C12-14, ETHOXYLATED, C12-14-ALKYL ETHER SULFATES, DISODIUM

METASILICATE

Detergent labelling < 5% anionic surfactants, < 5% non-ionic surfactants, < 5% phosphates, < 5%

polycarboxylates

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ALCOHOLS, C12-14, ETHOXYLATED 1-5%

CAS number: 68439-50-9 EC number: 500-213-3 REACH registration number: 01-

2119487984-16-XXXX

M factor (Acute) = 1

Classification Classification (67/548/EEC or 1999/45/EC)

Eye Dam. 1 - H318 Xi;R41. N;R50.

Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412

C12-14-ALKYL ETHER SULFATES 1-5%

CAS number: 68891-38-3 EC number: 500-234-8 REACH registration number: 01-

2119488639-16-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Irrit. 2 - H315 Xi;R38,R41.

Eye Dam. 1 - H318 Aguatic Chronic 3 - H412

DISODIUM METASILICATE 1-5%

CAS number: 6834-92-0 EC number: 229-912-9 REACH registration number: 01-

2119449811-37-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Met. Corr. 1 - H290 C;R34 Xi;R37

Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335

5L SUPER PROFESSIONAL HEAVY DUTY KITCHEN DEGREASER C17

PNEC - Fresh water; 0.24 mg/l

> - Marine water; 0.024 mg/l - Intermittent release; 0.071 mg/l - Sediment, Fresh water; 0.917 mg/kg - Sediment, Marine water; 0.092 mg/kg

- Soil; 7.5 mg/kg - STP; 10,000 mg/l

8.2. Exposure controls

Protective equipment





Appropriate engineering

controls

Provide adequate ventilation.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

> eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard

EN166.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

> a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). Neoprene. Nitrile rubber. Polyethylene. To protect hands from chemicals, gloves should comply with European

Standard EN374.

Other skin and body

protection

Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate

hand lotion to prevent defatting and cracking of skin.

Hygiene measures When using do not eat, drink or smoke. Good personal hygiene procedures should be

> implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.

Respiratory protection Respiratory protection not required.

Environmental exposure

controls

Avoid releasing into the environment.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Colourless to pale yellow.

Odour Unperfumed.

Ηq pH (concentrated solution): 12.5 - 13.6

Relative density ~ 1.060

Solubility(ies) Soluble in water.

of a flame

Explosive under the influence Not considered to be explosive.

Comments Information given is applicable to the product as supplied.