### **INSECTICIDE GUEPES - IN03K - 863361**

Date: 19/10/2022 Page 1/12 Revision: N°17 (12/07/2022)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: INSECTICIDE GUEPES

Product code: IN03K - 863361

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**BIOCIDE** 

### 1.3. Details of the supplier of the safety data sheet

Registered company name: RUBIX Engineering.

Address: 61, Avenue Tony Garnier. 69007. LYON. France.

Telephone: 01.44.86.08.10. Fax:. info-rubix-engineering@rubix.com

#### 1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Aerosol, Category 1 (Aerosol 1, H222 - H229).

May produce an allergic reaction (EUH208).

Hazardous to the aquatic environment - Acute hazard, Category 1 (Aquatic Acute 1, H400).

 $Hazardous\ to\ the\ aquatic\ environment\ -\ Chronic\ hazard,\ Category\ 1\ (Aquatic\ Chronic\ 1,\ H410).$ 

### 2.2. Label elements

Biocidal mixture (see section 15).

Mixture for aerosol application.

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:





GHS02

GHS09

Signal Word : DANGER

Additional labeling:

EUH208 Contains PERMETHRIN (ISO). May produce an allergic reaction.

Hazard statements:

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements - General:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

 $Precaution ary\ statements\ -\ Prevention:$ 

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

Revision: N°17 (12/07/2022)

Date: 19/10/2022 Page 2/12

### **INSECTICIDE GUEPES - IN03K - 863361**

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

Precautionary statements - Storage :

P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50 oC/122oF.

Precautionary statements - Disposal:

P501 Dispose of contents/container in accordance with national regulations.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

**Composition:** 

T. 1. C. C.	(EC) 1272/2000	INT .	10/
Identification	(EC) 1272/2008	Note	%
INDEX: 601_004_00_0	GHS02, GHS04	C	50 <= x % < 100
CAS: 106-97-8	Dgr	[1]	
EC: 203-448-7	Flam. Gas 1, H220	[7]	
REACH: 01-2119474691-32	Press. Gas, H280		
BUTANE			
INDEX: 601_003_00_5	GHS02, GHS04	[1]	10 <= x % < 25
CAS: 74-98-6	Dgr	[7]	
EC: 200-827-9	Flam. Gas 1, H220		
REACH: 01-2119486944-21	Press. Gas, H280		
PROPANE			
INDEX: A9210246	GHS07, GHS09, GHS08, GHS02		2.5 <= x % < 10
EC: 921-024-6	Dgr		
REACH: 01-2119475514-35	Flam. Liq. 2, H225		
	Asp. Tox. 1, H304		
HYDROCARBONS, C6-C7, N-ALKANES,	Skin Irrit. 2, H315		
ISOALKANES, CYCLICS, <5% N-HEXANE	STOT SE 3, H336		
	Aquatic Chronic 2, H411		
INDEX: B93685815	GHS08, GHS02		2.5 <= x % < 10
CAS: 93685-81-5	Dgr		2.0 < 10
EC: 297-629-8	Flam. Liq. 3, H226		
REACH: 01-2119490725-29	Asp. Tox. 1, H304		
KLI ICII. 01-2117470123-27	Aquatic Chronic 4, H413		
HYDROCARBURES EN C4, EXEMPTS DE	EUH:066		
BUTADIÈNE-1,3, POLYMÉRISÉS,	E011.000		
FRACTION TRIISOBUTYLÈNE			
HYDROGÉNÉE	CHOOL CHOOL	[1]	2.5 . 0/ .10
INDEX: 603-117-00-0	GHS02, GHS07	[1]	$2.5 \ll x \% < 10$
CAS: 67-63-0	Dgr		
EC: 200-661-7	Flam. Liq. 2, H225		
REACH: 01-2119457558-25	Eye Irrit. 2, H319		
	STOT SE 3, H336		
PROPAN-2-OL			
INDEX: 601_004_000A	GHS02, GHS04	C	$2.5 \ll x \% < 10$
CAS: 75-28-5	Dgr	[1]	
EC: 200-857-2	Flam. Gas 1, H220	[7]	
REACH: 01-2119485395-27	Press. Gas, H280		
AND ISOBUTANE			

Version: N°1 (12/07/2022)

RUBIX Engineering.

### **INSECTICIDE GUEPES - IN03K - 863361**

Date: 19/10/2022 Page 3/12 Revision: N°17 (12/07/2022)

[	T		Ta
INDEX: 613-058-00-2	GHS07, GHS09		$0 \le x \% < 1$
CAS: 52645-53-1	Wng		
EC: 258-067-9	Acute Tox. 4, H332		
	Acute Tox. 4, H302		
PERMETHRIN (ISO)	Skin Sens. 1, H317		
	Aquatic Acute 1, H400		
	M Acute = $1000$		
	Aquatic Chronic 1, H410		
	M Chronic = 1000		
INDEX: A1166467	GHS07, GHS09, GHS08	[2]	0 <= x % < 1
CAS: 1166-46-7	Wng		
EC: 214-619-0	Acute Tox. 4, H302		
	Carc. 2, H351		
D-TETRAMETHRINE	STOT SE 2, H371		
	Aquatic Acute 1, H400		
	M Acute = 100		
	Aquatic Chronic 1, H410		
	M Chronic = 100		
INDEX: A26046855	GHS09		0 <= x % < 1
CAS: 26046-85-5	Wng		
EC: 247-431-2	Aquatic Acute 1, H400		
	M Acute = 100		
1R-TRANS PHENOTHRIN	Aquatic Chronic 1, H410		
	M Chronic = 100		

### **Specific concentration limits:**

Identification	Specific concentration limits	ATE
INDEX: A1166467	STOT SE 2: H371 C>= 10%	
CAS: 1166-46-7		
EC: 214-619-0		
D-TETRAMETHRINE		

# Information on ingredients:

(Full text of H-phrases: see section 16)

- [1] Substance for which maximum workplace exposure limits are available.
- [2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.
- [7] Propellant gas

### **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. description of first aid measures

# In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

### In the event of swallowing:

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

# INSECTICIDE GUEPES - IN03K - 863361

Date: 19/10/2022 Page 4/12 Revision: N°17 (12/07/2022)

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

#### SECTION 5 : FIREFIGHTING MEASURES

Flammable.

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

#### 5.1. Extinguishing media

Keep packages near the fire cool, to prevent pressurised containers from bursting.

#### Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- water with AFFF (Aqueous Film Forming Foam) additive
- halon
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Prevent the effluent of fire-fighting measures from entering drains or waterways.

#### Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet
- water

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

# 5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

# For non first aid worker

Because of the organic solvents contained in the mixture, eliminate sources of ignition and ventilate the area.

## For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### **6.2. Environmental precautions**

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures Use drums to dispose of collected waste in compliance with current regulations (see section 13).

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

The elimination must be carried out by a registrated salvage professionnal.

Version: N°1 (12/07/2022) RUBIX Engineering.

# **INSECTICIDE GUEPES - IN03K - 863361**

Date: 19/10/2022 Page 5/12 Revision: N°17 (12/07/2022)

#### 6.4. Reference to other sections

No data available.

#### SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Remove contaminated clothing and protective equipment before entering eating areas.

### Fire prevention:

Handle in well-ventilated areas.

Vapours are heavier than air. They can spread along the ground and form mixtures that are explosive with air.

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

Do not spray on a naked flame or any incandescent material.

Do not pierce or burn, even after use.

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Do not breathe in aerosols.

Where the personnel must carry out work in a booth, whether for spraying or otherwise, the ventilation may be inadequate to control particles and solvent vapors in every case.

It is therefore recommended that personnel wear masks with a compressed air supply during spraying operations until the concentration of particles and solvent vapors has fallen below the exposure limits.

Packages which have been opened must be reclosed carefully and stored in an upright position.

### Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

Never open the packages under pressure.

# 7.2. Conditions for safe storage, including any incompatibilities

# Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C.

#### Packaging

Always keep in packaging made of an identical material to the original.

### 7.3. Specific end use(s)

No data available.

### **INSECTICIDE GUEPES - IN03K - 863361**

Date: 19/10/2022 Page 6/12

Revision: N°17 (12/07/2022)

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

#### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
106-97-8	1000 ppm				
74-98-6	1000 ppm				
67-63-0	200 ppm	400 ppm		A4; BEI	
75-28-5	1000 ppm				

- Germany - AGW (BAuA - TRGS 900, 02/2022):

CAS	VME:	VME:	Excess	Notes
106-97-8		1000 ppm		4(II)
		2400 mg/m <sup>3</sup>		
74-98-6		1000 ppm		4(II)
		1800 mg/m <sup>3</sup>		
67-63-0		200 ppm		2(II)
		500 mg/m <sup>3</sup>		
75-28-5		1000 ppm		4(II)
		2400 mg/m <sup>3</sup>		

- France (INRS - Outils 65 / 2021-1849, 2021-1763, decree of 09/12/2021):

CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
106-97-8	800	1900	-	-	-	-
67-63-0	-	-	400	980	-	84

- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
106-97-8	600 ppm	750 ppm		Carc	
	1450 mg/m3	1810 mg/m3			
67-63-0	400 ppm	500 ppm			
	999 mg/m <sup>3</sup>	1250 mg/m <sup>3</sup>			

# 8.2. Exposure controls

# Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

# - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

## - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVA (Polyvinyl alcohol)

# - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version :  $N^{\circ}1$  (12/07/2022)

RUBIX Engineering.

### **INSECTICIDE GUEPES - IN03K - 863361**

Date: 19/10/2022 Page 7/12

Revision: N°17 (12/07/2022)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES 9.1. Information on basic physical and chemical properties Physical state Physical state: Fluid liquid. Colour Unspecified Odour Odour threshold: Not stated. **Melting point** Melting point/melting range: Not specified. Freezing point Not stated. Freezing point / Freezing range: Boiling point or initial boiling point and boiling range Boiling point/boiling range: Not specified. **Flammability** Flammability (solid, gas): Not stated. Lower and upper explosion limit Not stated. Explosive properties, lower explosivity limit (%): Explosive properties, upper explosivity limit (%): Not stated. Flash point Flash point interval: Not relevant **Auto-ignition temperature** Self-ignition temperature: Not specified. **Decomposition temperature** Decomposition point/decomposition range: Not specified. pН Not relevant. pH: pH (aqueous solution): Not stated. Kinematic viscosity Not stated. Viscosity: Viscosity:  $v < 7 \text{ mm}2/s (40^{\circ}\text{C})$ **Solubility** Water solubility: Insoluble. Fat solubility: Not stated. Partition coefficient n-octanol/water (log value) Partition coefficient: n-octanol/water: Not stated. Vapour pressure Below 110 kPa (1.10 bar). Vapour pressure (50°C): Density and/or relative density < 1 Density: Relative vapour density Not stated. Vapour density:

9.2.2. Other safety characteristics

Chemical combustion heat:

9.2.1. Information with regard to physical hazard classes

**9.2. Other information** No data available.

No data available.

Aerosols

>= 30 kJ/g.

RUBIX Engineering.

### **INSECTICIDE GUEPES - IN03K - 863361**

Date: 19/10/2022 Page 8/12

Revision: N°17 (12/07/2022)

No data available.

# **SECTION 10: STABILITY AND REACTIVITY**

### 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

#### 10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

#### 10.4. Conditions to avoid

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

#### Avoid:

- heating
- heat
- humidity
- accumulation of electrostatic charges.
- flames and hot surfaces

# 10.5. Incompatible materials

Keep away from:

- water
- strong acids
- strong oxidising agents

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Exposure to vapours from solvents in the mixture in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system.

Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness.

Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

Splashes in the eyes may cause irritation and reversible damage

#### 11.1.1. Substances

# Acute toxicity:

D-TETRAMETHRINE (CAS: 1166-46-7)

Oral route :  $LD50 > 5000 \ mg/kg$ 

Species: Rat (recommended by the CLP)

Dermal route : LD50 > 5000 mg/kg

Species: Rat (recommended by the CLP)

Inhalation route (Gas): LC50 > 1.18 mg/l

Species: Rat (recommended by the CLP)

#### 11.1.2. Mixture

Version: N°1 (12/07/2022)

RUBIX Engineering.

### **INSECTICIDE GUEPES - IN03K - 863361**

Date: 19/10/2022 Page 9/12

Revision: N°17 (12/07/2022)

#### Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

#### 11.2. Information on other hazards

## Monograph(s) from the IARC (International Agency for Research on Cancer):

CAS 123-35-3: IARC Group 2B: The agent is possibly carcinogenic to humans.

CAS 97-53-0: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 5989-27-5: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 5989-27-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 52645-53-1: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 67-63-0: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

### **SECTION 12: ECOLOGICAL INFORMATION**

Very toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

### 12.1. Toxicity

#### 12.1.1. Substances

1R-TRANS PHENOTHRIN (CAS: 26046-85-5)

Fish toxicity: LC50 = 0.0027 mg/l

Factor M = 100

Duration of exposure: 96 h

Crustacean toxicity: EC50 = 0.0043 mg/l

Factor M = 100

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 = 0.011 mg/l

Factor M = 10

Duration of exposure: 72 h

D-TETRAMETHRINE (CAS: 1166-46-7)

Fish toxicity: LC50 = 0.01 mg/l

Factor M = 100

Duration of exposure: 96 h

Crustacean toxicity: EC50 = 0.11 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 = 2.3 mg/l

Duration of exposure: 72 h

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

### 12.2. Persistence and degradability

### 12.2.1. Substances

1R-TRANS PHENOTHRIN (CAS: 26046-85-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

D-TETRAMETHRINE (CAS: 1166-46-7)

Version: N°1 (12/07/2022) RUBIX Engineering.

### **INSECTICIDE GUEPES - IN03K - 863361**

Biodegradability:

no degradability data is available, the substance is considered as not degrading quickly.

Date: 19/10/2022 Page 10/12

Revision: N°17 (12/07/2022)

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

# 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Endocrine disrupting properties

No data available.

#### 12.7. Other adverse effects

#### SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

# Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# **SECTION 14: TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2021 - IMDG 2020 - ICAO/IATA 2021).

### 14.1. UN number or ID number

1950

# 14.2. UN proper shipping name

UN1950=AEROSOLS, flammable

# 14.3. Transport hazard class(es)

- Classification :



2.1

### 14.4. Packing group

-

#### 14.5. Environmental hazards

- Environmentally hazardous material :



Version: N°1 (12/07/2022)

RUBIX Engineering.

### **INSECTICIDE GUEPES - IN03K - 863361**

### 14.6. Special precautions for user

	ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
		2	5F	-	2.1	-	1 L	190 327 344	E0	2	D
l								625			

Date: 19/10/2022 Page 11/12

Revision: N°17 (12/07/2022)

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage	Segregation
								Handling	
	2	See SP63	-	See SP277	F-D. S-U	63 190 277	E0	- SW1 SW22	SG69
						327 344 381			
						959			

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	2.1	-	-	203	75 kg	203	150 kg	A145 A167	E0
								A802	
	2.1	-	-	Y203	30 kg G	-	-	A145 A167	E0
								A802	

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

Marine pollutant (IMDG 3.1.2.9):(permethrin (iso))

## 14.7. Maritime transport in bulk according to IMO instruments

No data available.

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)

# - Container information:

No data available.

# - Particular provisions :

No data available.

# - Labelling for biocidal products (Regulation (UE) $n^{\circ}$ 528/2012) :

Name	CAS	%		Product-type
PERMETHRIN (ISO)	52645-53-1	2.57	g/kg	18
1R-TRANS PHENOTHRIN	26046-85-5	0.95	g/kg	18
D-TETRAMETHRINE	1166-46-7	1.87	g/kg	18

Product-type 18: Insecticides, acaricides and products to control other arthropods.

#### 15.2. Chemical safety assessment

No data available.

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### Wording of the phrases mentioned in section 3:

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

Version: N°1 (12/07/2022)

RUBIX Engineering.

# **INSECTICIDE GUEPES - IN03K - 863361**

Date: 19/10/2022 Page 12/12

Revision: N°17 (12/07/2022)

H226	Flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
Н336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H371	May cause damage to organs .
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH066	Repeated exposure may cause skin dryness or cracking.

#### Abbreviations:

LD50: The dose of a test substance resulting in 50% lethality in a given time period.

LC50: The concentration of a test substance resulting in 50% lethality in a given period.

EC50 : The effective concentration of substance that causes 50% of the maximum response.

ECr50: The effective concentration of substance that causes 50% reduction in growth rate.

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

CMR: Carcinogenic, mutagenic or reprotoxic.

UFI: Unique formulation identifier.

STEL: Short-term exposure limit

TWA: Time Weighted Averages

TMP: French Occupational Illness table

TLV: Threshold Limit Value (exposure)

AEV: Average Exposure Value.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods.

IATA: International Air Transport Association.

ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS02: Flame

GHS09: Environment

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable.

SVHC: Substances of very high concern.