

AEROSPEC PROTECT SPRAY

Page: 1

Compilation date: 10/12/2014

**Revision date:** 18/04/2019

Revision No: 9

# Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: AEROSPEC PROTECT SPRAY

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Corrosion Inhibitor

# 1.3. Details of the supplier of the safety data sheet

Company name: ROCOL

ROCOL House Swillington Leeds

Leeus

West Yorkshire LS26 8BS ENGLAND

**Tel:** +44 (0) 113 232 2700 **Fax:** +44 (0) 113 232 2740

Email: <a href="mailto:customer-service@rocol.com">customer-service@rocol.com</a>

# 1.4. Emergency telephone number

Emergency tel: +44 (0) 113 232 2600

## **Section 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 3: H412; Flam. Aerosol 1: H222; -: H229

Most important adverse effects: Extremely flammable aerosol. Pressurised container: May burst if heated. Harmful to

aquatic life with long lasting effects.

# 2.2. Label elements

Label elements:

Hazard statements: H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated. H412: Harmful to aquatic life with long lasting effects.

Hazard pictograms: GHS02: Flame



Signal words: Danger

## AEROSPEC PROTECT SPRAY

Page: 2

Precautionary statements: P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122

°F.

P251: Do not pierce or burn, even after use.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P211: Do not spray on an open flame or other ignition source.

P285: In case of inadequate ventilation wear respiratory protection.

P273: Avoid release to the environment.

P501: Dispose of contents/container to local/national regulations.

## 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

## 3.2. Mixtures

#### **Hazardous ingredients:**

CYCLOPENTANE - REACH registered number(s): 01-2119463053-47

206-016-6 287-92-3 - Flam. Liq. 2: H225; Aquatic Chronic 3: >50% H412	EINECS	CAS	PBT / WEL	CLP Classification	Percent
	206-016-6	287-92-3	-	' '	>50%

#### **CALCIUM CARBONATE**

215-279-6	1317-65-3	Substance with a Community	-	3.0-10%
		workplace exposure limit.		

#### CARBON DIOXIDE AEROSOL PROPELLANT - REACH registered number(s): EXEMPT - ANNEX IV / V

204-696-9	124-38-9	Substance with a Community	Press. Gas: H280	3.0-10%
		workplace exposure limit.		

#### ZINC OXIDE

-	1314-13-2	-	Aquatic Chronic 1: H410; Aquatic Acute	0.3-3.0%
			1: H400	

# Section 4: First aid measures

#### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Do not induce vomiting. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

# 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

#### AEROSPEC PROTECT SPRAY

Page: 3

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. May cause dizziness.Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness

or mental confusion may occur.

Delayed / immediate effects: No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: No data available.

#### Section 5: Fire-fighting measures

## 5.1. Extinguishing media

Extinguishing media: Use water spray to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: Highly flammable. In combustion emits toxic fumes of carbon dioxide / carbon

monoxide.

## 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

# Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Eliminate all sources of

ignition.

# 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Do not use equipment in clean-up procedure which may produce sparks. Absorb into dry

earth or sand. Transfer to a closable, labelled salvage container for disposal by an

appropriate method.

# 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS, Refer to section 13 of SDS,

## Section 7: Handling and storage

# 7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Do not handle in a confined space.

Smoking is forbidden.

## AEROSPEC PROTECT SPRAY

Page: 4

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep away from sources of ignition. Keep away from

direct sunlight. Ensure lighting and electrical equipment are not a source of ignition.

Suitable packaging: Must only be kept in original packaging.

## 7.3. Specific end use(s)

Specific end use(s): No data available.

# Section 8: Exposure controls/personal protection

## 8.1. Control parameters

# **Hazardous ingredients:**

# **CALCIUM CARBONATE**

#### Workplace exposure limits:

#### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	4mg/m3	-	4 mg/m3	-

#### **CARBON DIOXIDE AEROSOL PROPELLANT**

UK 5000ppm 9150mg/m3 15000ppm 27400mg/m3	-	-
--	---	---

# ZINC OXIDE

UK	10mg/m3	-	4mg/m3	-

#### **DNEL/PNEC Values**

# **Hazardous ingredients:**

# **CYCLOPENTANE**

Туре	Exposure	Value	Population	Effect
DNEL	Dermal (repeated dose)	432 mg/m3	Workers	Systemic
DNEL	Inhalation (repeated dose)	3000 mg/m3	Workers	Systemic
DNEL	Dermal	214 mg/kg bw/day	Consumers	Systemic
DNEL	Inhalation	643 mg/m3	Consumers	Systemic
DNEL	Oral	214 mg/kg bw/day	Consumers	Systemic

# 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure lighting and electrical

equipment are not a source of ignition.

Respiratory protection: Respiratory protection not normally required.

Hand protection: Protective gloves.

**Eye protection:** Safety glasses with side-shields.

Skin protection: Protective clothing.

**Environmental:** Ensure all engineering measures mentioned in section 7 of SDS are in place.

## AEROSPEC PROTECT SPRAY

Page: 5

#### Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Aerosol

Colour: Off-white

Odour: Characteristic odour

Evaporation rate: Fast

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Insoluble

Viscosity: Non-viscous

Boiling point/range°C: > 40 Melting point/range°C: < -130

Flammability limits %: lower: 1.8 upper: 9.4

Flash point°C: < -50 Part.coeff. n-octanol/water: No data available.

Autoflammability°C: > 250 Vapour pressure: > 210

Relative density: < 1 pH: No data available.

VOC g/I: 635

#### 9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

# 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

# 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

# 10.4. Conditions to avoid

Conditions to avoid: Direct sunlight. Heat. Sources of ignition.

# 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong reducing agents.

# 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

# **Section 11: Toxicological information**

# 11.1. Information on toxicological effects

## AEROSPEC PROTECT SPRAY

Page: 6

## **Hazardous ingredients:**

#### **CYCLOPENTANE**

ORL	MUS	LD50	12800	mg/kg
ORL	RAT	LD50	11400	mg/kg

# **CALCIUM CARBONATE**

ORAL RAT	LD50	>2000	mg/kg	
----------	------	-------	-------	--

#### ZINC OXIDE

IPR	RAT	LD50	240	mg/kg
ORL	MUS	LD50	7950	mg/kg

Toxicity values: No data available.

# Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. May cause dizziness.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness

or mental confusion may occur.

Delayed / immediate effects: No data available.

# Section 12: Ecological information

# 12.1. Toxicity

# **Hazardous ingredients:**

# **CALCIUM CARBONATE**

ALGAE	72H ErC50	>100	mg/l
DAPHNIA	48H EC50	>100	mg/l
FISH	96H LC50	>100	g/l

#### 12.2. Persistence and degradability

Persistence and degradability: Only slightly biodegradable.

# 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

#### 12.4. Mobility in soil

Mobility: Highly volatile. Readily absorbed into soil.

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

#### AEROSPEC PROTECT SPRAY

Page: 7

#### 12.6. Other adverse effects

Other adverse effects: Harmful to aquatic organisms.

#### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

Waste code number: 16 05 05

Disposal of packaging: Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

# **Section 14: Transport information**

#### 14.1. UN number

UN number: UN1950

#### 14.2. UN proper shipping name

Shipping name: AEROSOLS, FLAMMABLE

# 14.3. Transport hazard class(es)

Transport class: 2.1

#### 14.4. Packing group

# 14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

14.6. Special precautions for user

# **Section 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

#### Section 16: Other information

# Other information

Other information: EC Directive 94/1/EC adapting some technicalities of Council Directive 75/324/EEC on

the approximation of the laws of Member States relating to aerosol dispensers.

This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

Compiled in accordance with REACH.

# AEROSPEC PROTECT SPRAY

Phrases used in s.2 and s.3: H222: Extremely flammable aerosol.

H225: Highly flammable liquid and vapour.

H229: Pressurised container: May burst if heated.

H280: Contains gas under pressure; may explode if heated.

 $\mbox{H410:}\ \mbox{Very toxic to aquatic life with long lasting effects.}$ 

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.

[final page]

Page: 8