

Arcanol LOAD220

Safety Data Sheet (UK REACH) (GB)

Date printed 16.08.2022, Revision 16.08.2022
Version 09. Supersedes version: 08

Page 1 / 17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Arcanol LOAD220

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Grease

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company

Schaeffler Technologies AG & Co. KG
Georg-Schäfer-Str. 30
97421 Schweinfurt / GERMANY
Phone +49 (0)9721 91 - 0
Homepage www.schaeffler.com

Address enquiries to

Technical information

support.is@schaeffler.com

Safety Data Sheet

sdb@chemiebuero.de

1.4 Emergency telephone number

Advisory body

+49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Skin Sens. 1: H317 May cause an allergic skin reaction.

Arcanol LOAD220

Safety Data Sheet (UK REACH) (GB)

Date printed 16.08.2022, Revision 16.08.2022
Version 09. Supersedes version: 08

Page 2 / 17

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms



Signal word

WARNING

Contains:

Naphthenic acids, zinc salts

Dipentylammonium dipentylidithiocarbamate

Polysulfides, di-tert-dodecyl

Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water / soap.

P333+P313 If skin irritation or rash occurs: Get medical advice / attention.

P501 Dispose of contents/container in accordance with local/national regulation.

2.3 Other hazards

Environmental hazards

Does not contain any PBT or vPvB substances.

Other hazards

Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances not applicable

Arcanol LOAD220

Safety Data Sheet (UK REACH) (GB)

Date printed 16.08.2022, Revision 16.08.2022
Version 09. Supersedes version: 08

Page 3 / 17

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
1 - < 5	Polysulfides, di-tert-dodecyl
	CAS: 68425-15-0, EINECS/ELINCS: 270-335-7, Reg-No.: 01-2119540516-41-XXXX
	GHS/CLP: Skin Sens. 1B: H317
1 - < 2.5	Naphthenic acids, zinc salts
	CAS: 12001-85-3, EINECS/ELINCS: 234-409-2
	GHS/CLP: Skin Sens. 1B: H317 - Eye Irrit. 2: H319 - Aquatic Chronic 2: H411
0.1 - < 0.25	Zinc oxide
	CAS: 1314-13-2, EINECS/ELINCS: 215-222-5, EU-INDEX: 030-013-00-7
	GHS/CLP: Aquatic Chronic 1: H410 - Aquatic Acute 1: H400, M-Factor (acute): 1, M-Factor (chronic): 1
0.1 - < 0.25	Dipentylammonium dipentylidithiocarbamate
	CAS: 71902-20-0, EINECS/ELINCS: 276-172-8, Reg-No.: 01-2120793078-43
	GHS/CLP: Acute Tox. 4: H302 - Skin Sens. 1B: H317 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410, M-Factor (acute): 1

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Change soaked clothing.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Seek medical advice immediately. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

None known.

Arcanol LOAD220

Safety Data Sheet (UK REACH) (GB)

Date printed 16.08.2022, Revision 16.08.2022
Version 09. Supersedes version: 08

Page 4 / 17

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing Carbon dioxide.
Dry powder.
Foam.

Extinguishing media that must not be used Water.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Carbon monoxide (CO)
Nitrogen oxides (NO_x).
Sulphur oxides (SO_x).

5.3 Advice for firefighters

Use self-contained breathing apparatus.
Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.
Forms slippery surfaces with water.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

Arcanol LOAD220

Safety Data Sheet (UK REACH) (GB)

Date printed 16.08.2022, Revision 16.08.2022
Version 09. Supersedes version: 08

Page 5 / 17

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Wash hands before breaks and after work.

Use barrier skin cream.

Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Do not store together with food and animal food/diet.

Keep container tightly closed.

Keep away from frost.

Protect from heat/overheating and from sun.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

**Ingredients with
occupational exposure
limits to be monitored (GB)**

not applicable

PNEC

	Substance
	Polysulfides, di-tert-dodecyl, CAS: 68425-15-0
	sediment (seawater), 385 µg/kg sediment dw
	oral (food), 66.7 mg/kg food
	sediment (freshwater), 3.85 mg/kg sediment dw
	sewage treatment plants (STP), 1 g/L

Arcanol LOAD220

Safety Data Sheet (UK REACH) (GB)

Date printed 16.08.2022, Revision 16.08.2022
Version 09. Supersedes version: 08

Page 6 / 17

8.2 Exposure controls

Additional advice on system design Ensure adequate ventilation on workstation.

Eye protection Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further information.
0.4 mm: Butyl rubber, >120 min (EN 374-1/-2/-3).

Skin protection light protective clothing

Other Avoid contact with eyes and skin.

Respiratory protection not applicable

Thermal hazards none

Delimitation and monitoring of the environmental exposition not determined

Arcanol LOAD220

Safety Data Sheet (UK REACH) (GB)

Date printed 16.08.2022, Revision 16.08.2022
Version 09. Supersedes version: 08

Page 7 / 17

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	pasty
Color	light brown yellow
Odor	characteristic
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	> 250
Flash point [°C]	200
Flammability (solid, gas) [°C]	Not highly flammable.
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm³]	No information available.
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	virtually insoluble
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	No information available.
Kinematic viscosity	not applicable
Relative vapour density	not applicable
Evaporation speed	not applicable
Melting point [°C]	> 170
Auto-ignition temperature	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

Arcanol LOAD220

Safety Data Sheet (UK REACH) (GB)

Date printed 16.08.2022, Revision 16.08.2022
Version 09. Supersedes version: 08

Page 8 / 17

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

If product is heated above decomposition temperature toxic vapours may be released.

10.4 Conditions to avoid

No hazardous reactions known.

10.5 Incompatible materials

not applicable

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Arcanol LOAD220

Safety Data Sheet (UK REACH) (GB)

Date printed 16.08.2022, Revision 16.08.2022

Page 9 / 17

Version 09. Supersedes version: 08

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Substance
Polysulfides, di-tert-dodecyl, CAS: 68425-15-0
LD50, oral, Rat, ca. 20000 mg/kg bw (ECHA)
Zinc oxide, CAS: 1314-13-2
LD50, oral, Rat, > 15000 mg/kg (IUCLID)
Naphthenic acids, zinc salts, CAS: 12001-85-3
LD50, oral, Rat, >2000 mg/kg bw (OECD 423)
Dipentylammonium dipentylthiocarbamate, CAS: 71902-20-0
LD50, oral, Rat, 300 - 2000 mg/kg bw

Acute dermal toxicity

Substance
Polysulfides, di-tert-dodecyl, CAS: 68425-15-0
LD0, dermal, Rat, 2000 mg/kg bw
NOAEL, oral, Rat, 1000 mg/kg bw/day
Zinc oxide, CAS: 1314-13-2
LD50, dermal, Rat, > 2000 mg/kg bw

Acute inhalational toxicity

Substance
Zinc oxide, CAS: 1314-13-2
LC50, inhalative, Rat, > 5.7 mg/l (4 h) (Lit.)

Serious eye damage/irritation

Toxicological data of complete product are not available.
Slight irritant effect.
Calculation method

Substance
Polysulfides, di-tert-dodecyl, CAS: 68425-15-0
no adverse effect observed
Zinc oxide, CAS: 1314-13-2
no adverse effect observed
Naphthenic acids, zinc salts, CAS: 12001-85-3
IVIS, cutan, Human, 19 (OECD 492)

Skin corrosion/irritation

Toxicological data of complete product are not available.
No classification.
Calculation method

Arcanol LOAD220

Safety Data Sheet (UK REACH) (GB)

Date printed 16.08.2022, Revision 16.08.2022 Version 09. Supersedes version: 08	Page 10 / 17
--	--------------

Substance
Polysulfides, di-tert-dodecyl, CAS: 68425-15-0
no adverse effect observed
Zinc oxide, CAS: 1314-13-2
no adverse effect observed
Naphthenic acids, zinc salts, CAS: 12001-85-3
no adverse effect observed

Respiratory or skin sensitisation

Toxicological data of complete product are not available.
May cause an allergic skin reaction.
Calculation method

Substance
Zinc oxide, CAS: 1314-13-2
inhalative, no adverse effect observed
dermal, no adverse effect observed
Naphthenic acids, zinc salts, CAS: 12001-85-3
IC50, cutan, Cell culture, $\geq 82 \mu\text{g/mL}$ (OECD 442D)

Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

Substance
Zinc oxide, CAS: 1314-13-2
inhalative, no adverse effect observed

Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance
Naphthenic acids, zinc salts, CAS: 12001-85-3
in vitro, negativ

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

Substance
Zinc oxide, CAS: 1314-13-2
NOAEC, inhalative, Rat, 7.5 mg/m^3 (Effect on developmental toxicity), no adverse effect obser

Arcanol LOAD220

Safety Data Sheet (UK REACH) (GB)

Date printed 16.08.2022, Revision 16.08.2022

Page 11 / 17

Version 09. Supersedes version: 08

Carcinogenicity

Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard

Based on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

11.2 Information on other hazards
Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

Other information

none

SECTION 12: Ecological information
12.1 Toxicity

	Substance
	Polysulfides, di-tert-dodecyl, CAS: 68425-15-0
	NOEC, (72h), Algae, 80 µg/L
	NOEC, (48h), Invertebrates, 100 µg/L
	Zinc oxide, CAS: 1314-13-2
	EC50, (72h), Selenastrum capricornutum, 0.17 mg/l (Lit.)
	Naphthenic acids, zinc salts, CAS: 12001-85-3
	EL50, (72h), Pseudokirchneriella subcapitata, 4 mg/L (OECD 201)
	EL50, (48h), Daphnia magna, 35 mg/L (OECD 202)
	LL50, (96h), Cyprinus carpio, >100 mg/L (OECD 203)
	Dipentylammonium dipentylidithiocarbamate, CAS: 71902-20-0
	EC50, (72h), Algae, 16 mg/L
	EC50, (48h), Daphnia magna, 0.59 mg/L

12.2 Persistence and degradability
Behaviour in environment compartments
Behaviour in sewage plant not determined

Biological degradability not determined

12.3 Bioaccumulative potential

not determined

Arcanol LOAD220

Safety Data Sheet (UK REACH) (GB)

Date printed 16.08.2022, Revision 16.08.2022
Version 09. Supersedes version: 08

Page 12 / 17

12.4 Mobility in soil

not determined

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Disposal in an incineration plant in accordance with the regulations of the local authorities.
In according to RoHS!

Waste no. (recommended) 120112* spent waxes and fats

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
Uncontaminated packaging may be reused.

Waste no. (recommended) 150110* packaging containing residues of or contaminated by hazardous substances
150102
150104

Arcanol LOAD220

Safety Data Sheet (UK REACH) (GB)

Date printed 16.08.2022, Revision 16.08.2022
Version 09. Supersedes version: 08

Page 13 / 17

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Arcanol LOAD220

Safety Data Sheet (UK REACH) (GB)

Date printed 16.08.2022, Revision 16.08.2022
Version 09. Supersedes version: 08

Page 14 / 17

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

Arcanol LOAD220

Safety Data Sheet (UK REACH) (GB)

Date printed 16.08.2022, Revision 16.08.2022

Page 15 / 17

Version 09. Supersedes version: 08

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014

TRANSPORT- ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2022)
NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.

- Observe employment restrictions for people Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people. Annex XVII of the REACH Regulation, restriction R3; R75.

- VOC (2010/75/CE) < 3%

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H410 Very toxic to aquatic life with long lasting effects.
H400 Very toxic to aquatic life.
H302 Harmful if swallowed.

H411 Toxic to aquatic life with long lasting effects.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.

Arcanol LOAD220

Safety Data Sheet (UK REACH) (GB)

Date printed 16.08.2022, Revision 16.08.2022

Page 16 / 17

Version 09. Supersedes version: 08

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV®/TWA = Threshold limit value – time-weighted average
TLV®STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

Arcanol LOAD220

Safety Data Sheet (UK REACH) (GB)

Date printed 16.08.2022, Revision 16.08.2022
Version 09. Supersedes version: 08

Page 17 / 17

16.3 Other information

Classification procedure

Skin Sens. 1: H317 May cause an allergic skin reaction. (Calculation method)

Modified position

SECTION 2 been added: Polysulfides, di-tert-dodecyl

SECTION 3 been added: Polysulfides, di-tert-dodecyl

SECTION 11 been added: Contains no ingredients with endocrine-disrupting properties.

SECTION 12 been added: Contains no ingredients with endocrine-disrupting properties.