

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Spartex 850475

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2023
1.1	20.11.2023	100000018218	Date of first issue: 05.10.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Spartex 840475

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Adhesive

Recommended restrictions
on use : For industrial use only.

1.3 Details of the supplier of the safety data sheet

Company : Rubix Engineering

Address : 61 Avenue Tony Garnier, 69007 Lyon, FRANCE
+33 (1) 44 86 08 10

E-mail address of person
responsible for the SDS : info-rubix-engineering@rubix.com

1.4 Emergency telephone number

Emergency telephone number : In case of poisoning:
GBK-EMTEL International
Tel.(24h): +49(0)6132/84463 (all languages)

In case of transport accidents:
Tel.(24h): (001) 352 323 3500 (Infotrac - Contract ID: 90373 /
GBK)

National Poisons Information Centre (NPIC): 01 809 2566 (24
hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Spartex 850475

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2023
1.1	20.11.2023	100000018218	Date of first issue: 05.10.2023

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**
P261 Avoid breathing mist or vapours.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

methacrylic acid, monoester with propane-1,2-diol

maleic acid

methyl methacrylate

butyl methacrylate

2'-phenylacetohydrazide

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
methacrylic acid, monoester with propane-1,2-diol	27813-02-1 248-666-3	Eye Irrit. 2; H319 Skin Sens. 1; H317	>= 10 - < 20

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Spartex 850475

Version
1.1

Revision Date:
20.11.2023

SDS Number:
100000018218

Date of last issue: 05.10.2023
Date of first issue: 05.10.2023

	01-2119490226-37-0000		
maleic acid	110-16-7 203-742-5 607-095-00-3 01-2119488705-25-0000	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system) Aquatic Chronic 2; H411 specific concentration limit Skin Sens. 1; H317 ≥ 0,1 %	≥ 0,25 - < 1
alpha,alpha-dimethylbenzyl hydroperoxide	80-15-9 201-254-7 617-002-00-8 01-2119475796-19-0000	Org. Perox. E; H242 Acute Tox. 4; H302 Acute Tox. 3; H331 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT RE 2; H373 Aquatic Chronic 2; H411 specific concentration limit Skin Corr. 1B; H314 ≥ 10 % Skin Irrit. 2; H315 3 - < 10 % Eye Dam. 1; H318 3 - < 10 % Eye Irrit. 2; H319 1 - < 3 % STOT SE 3; H335 ≥ 1 % Acute toxicity estimate Acute oral toxicity: 382 mg/kg Acute dermal toxicity: 500 mg/kg	≥ 0,25 - < 1
methyl methacrylate	80-62-6 201-297-1 607-035-00-6	Flam. Liq. 2; H225 Skin Irrit. 2; H315 Skin Sens. 1; H317	≥ 0,1 - < 1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Spartex 850475

Version 1.1 Revision Date: 20.11.2023 SDS Number: 100000018218 Date of last issue: 05.10.2023
Date of first issue: 05.10.2023

	01-2119452498-28-0000	STOT SE 3; H335 (Respiratory system)	
butyl methacrylate	97-88-1 202-615-1 607-033-00-5 01-2119486394-28-0000	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system) Aquatic Chronic 3; H412	$\geq 0,1 - < 0,25$
2'-phenylacetohydrazide	114-83-0 204-055-3	Acute Tox. 3; H301 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system)	$\geq 0,1 - < 1$

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may even occur after several hours;
therefore medical observation for at least 48 hours after the
accident.
- If inhaled : Remove person to fresh air. If signs/symptoms continue, get
medical attention.
In case of unconsciousness bring patient into stable side posi-
tion for transport.
- In case of skin contact : If skin irritation persists, call a physician.
- In case of eye contact : Flush eyes with water at least 15 minutes. Get medical atten-
tion if eye irritation develops or persists.
- If swallowed : If accidentally swallowed obtain immediate medical attention.
Rinse mouth with water.
If conscious, drink plenty of water.
Do NOT induce vomiting.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : May cause an allergic skin reaction.
Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No further relevant information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Spartex 850475

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2023
1.1	20.11.2023	100000018218	Date of first issue: 05.10.2023

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water mist
Dry powder
Carbon dioxide (CO₂)
Alcohol-resistant foam

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : May release toxic, irritating and/or corrosive gases.
In case of fire, the following substance(s) may occur:
Nitrogen oxides
Carbon monoxide

5.3 Advice for firefighters

Special protective equipment for firefighters : No special protective measures against fire required.

Further information : In the event of fire, wear self-contained breathing apparatus.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions : The product should not be allowed to enter drains, water courses or the soil.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Ensure adequate ventilation.
Send for recovery or disposal in suitable containers.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Dispose of contaminated material as waste according to section 13.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Spartex 850475

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2023
1.1	20.11.2023	100000018218	Date of first issue: 05.10.2023

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of dust and aerosols.
Use only with adequate ventilation.
Handle with care.
Keep eye wash bottle available on working place.
Avoid release to the environment.
Keep away from children.

Advice on protection against fire and explosion : In the event of fire and/or explosion do not breathe fumes.
Keep breathing equipment ready. Have fire extinguishing equipment ready in case of nearby fire.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep only in the original container in a cool, well ventilated place away from oxidizing agents. Keep in a dry place. Protect against light.

Further information on storage conditions : Keep container tightly sealed.

Advice on common storage : Keep away from metals.

7.3 Specific end use(s)

Specific use(s) : No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
methyl methacrylate	80-62-6	TWA	50 ppm	2009/161/EU
	Further information: Indicative			
		STEL	100 ppm	2009/161/EU
	Further information: Indicative			
		OELV - 8 hrs (TWA)	50 ppm	IE OEL
	Further information: Chemical agents which following exposure may cause sensitisation of the respiratory tract and lead to asthma, rhinitis or extrinsic allergic alveolitis			

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Spartex 850475

Version 1.1 Revision Date: 20.11.2023 SDS Number: 100000018218 Date of last issue: 05.10.2023
Date of first issue: 05.10.2023

		OELV - 15 min (STEL)	100 ppm	IE OEL
	Further information: Chemical agents which following exposure may cause sensitisation of the respiratory tract and lead to asthma, rhinitis or extrinsic allergic alveolitis			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
methacrylic acid, monoester with propane-1,2-diol	Workers	Inhalation	Systemic, long-term	14,7 mg/m3
	Workers	Eye contact	Local effects	
	Workers	Dermal	Systemic, long-term	4,2 mg/kg
maleic acid	Workers	Inhalation	Systemic, long-term	3 mg/m3
	Workers	Eye contact	Local effects	
	Workers	Inhalation	Local, long-term	3 mg/m3
	Workers	Inhalation	Systemic, short-term	3 mg/m3
	Workers	Inhalation	Local, short-term	3 mg/m3
alpha,alpha-dimethylbenzyl hydroperoxide	Workers	Inhalation	Systemic, long-term	6 mg/m3
methyl methacrylate	Workers	Inhalation	Local, long-term	208 mg/m3
	Workers	Dermal	Local, long-term	1,5 mg/cm2
	Workers	Dermal	Local, short-term	1,5 mg/cm2
	Workers	Eye contact	Local effects	
	Workers	Inhalation	Local, short-term	416 mg/m3
	Workers	Dermal	Systemic, long-term	13,67 mg/kg
	Workers	Inhalation	Systemic, long-term	348,4 mg/m3
butyl methacrylate	Workers	Inhalation	Systemic, long-term	415,9 mg/m3
	Workers	Eye contact	Local effects	
	Workers	Dermal	Local, long-term	1 %
	Workers	Inhalation	Local, long-term	409 mg/m3
	Workers	Dermal	Local, short-term	1 %
	Workers	Dermal	Systemic, long-term	5 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
methacrylic acid, monoester with propane-1,2-diol	Soil	0,727 mg/kg
	Fresh water sediment	6,28 mg/kg
	Marine sediment	6,28 mg/kg
	Sewage treatment plant	10 mg/l
	Marine water	0,904 mg/l
maleic acid	Fresh water	0,904 mg/l
	Soil	0,042 mg/kg
	Fresh water	0,1 mg/l
	Sewage treatment plant	44,6 mg/l
	Marine water	0,01 mg/l
	Marine sediment	0,033 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Spartex 850475

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2023
1.1	20.11.2023	100000018218	Date of first issue: 05.10.2023

	Fresh water sediment	0,334 mg/kg
alpha,alpha-dimethylbenzyl hydroperoxide	Fresh water	0,003 mg/l
	Sewage treatment plant	0,35 mg/l
	Marine water	0 mg/l
	Fresh water sediment	0,023 mg/kg
	Marine sediment	0,002 mg/kg
	Soil	0,003 mg/kg
methyl methacrylate	Fresh water	0,94 mg/l
	Marine water	0,094 mg/l
	Marine sediment	0,102 mg/kg
	Fresh water sediment	10,2 mg/kg
	Sewage treatment plant	10 mg/l
	Soil	1,48 mg/kg
butyl methacrylate	Fresh water sediment	4,73 mg/kg
	Marine sediment	0,473 mg/kg
	Fresh water	0,017 mg/l
	Marine water	0,002 mg/l
	Soil	0,935 mg/kg
	Sewage treatment plant	31,7 mg/l

8.2 Exposure controls

Engineering measures

Please take care on national and local requirements.

Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection

Material : Nitrile rubber

Remarks

: The glove material has to be impermeable and resistant to the product/the substance/the preparation. The exact break through time can be obtained from the protective glove producer and this has to be observed.

Skin and body protection : Protective clothing

Respiratory protection : Use respiratory protection unless adequate risk management measures (exhaust/ ventilation) are provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
In case of brief exposure or low pollution (exceeding of TLV) use breathing filter apparatus.
In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

Protective measures : Keep away from food, drink and animal feedingstuffs.
Instantly remove any soiled and impregnated garments.
Wash hands before breaks and immediately after handling

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Spartex 850475

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2023
1.1	20.11.2023	100000018218	Date of first issue: 05.10.2023

the product.
Avoid contact with the eyes and skin.
Store protective clothing separately.

Environmental exposure controls

Air : Suppress (knock down) gases/vapours/mists with a water spray jet.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: blue
Odour	: characteristic
Odour Threshold	: is not determined
Melting point/freezing point	: is not determined
Boiling point/boiling range	: is not determined
Flammability	: Not classified as a flammability hazard
Upper explosion limit / Upper flammability limit	: Upper flammability limit is not determined
Lower explosion limit / Lower flammability limit	: Lower flammability limit is not determined
Flash point	: 95 °C
Auto-ignition temperature	: not self-igniting
Decomposition temperature	: Not applicable
Viscosity	
Viscosity, dynamic	: 150.000 mPa.s
Solubility(ies)	
Water solubility	: not miscible or difficult to mix
Partition coefficient: n-octanol/water	: no data available
Vapour pressure	: is not determined
Density	: 1,12 g/cm ³

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Spartex 850475

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2023
1.1	20.11.2023	100000018218	Date of first issue: 05.10.2023

Relative vapour density : is not determined

9.2 Other information

Explosives : Not explosive

Evaporation rate : is not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

No decomposition if used according to the specifications.

10.3 Possibility of hazardous reactions

Hazardous reactions : Polymerises under strong heat development

10.4 Conditions to avoid

Conditions to avoid : No further relevant information available.

10.5 Incompatible materials

Materials to avoid : No further relevant information available.

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity :

Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Acute inhalation toxicity :

Acute toxicity estimate: > 20 mg/l
Exposure time: 4 Hours
Test atmosphere: vapour

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Spartex 850475

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2023
1.1	20.11.2023	100000018218	Date of first issue: 05.10.2023

Method: Calculation method

Acute dermal toxicity :

Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Components:

maleic acid:

Acute oral toxicity : LD50 Oral (Rat): 708 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): 1.560 mg/kg

alpha,alpha-dimethylbenzyl hydroperoxide:

Acute oral toxicity : Acute toxicity estimate: 382 mg/kg
Method: Calculation method

Acute inhalation toxicity : LC50 (Rat): 220 ppm
Exposure time: 4 Hours
Test atmosphere: vapour

Acute dermal toxicity : Acute toxicity estimate: 500 mg/kg
Method: Calculation method

methyl methacrylate:

Acute inhalation toxicity : LC50 (Rat): 4632 ppm
Exposure time: 4 Hours
Test atmosphere: vapour

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Spartex 850475

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2023
1.1	20.11.2023	100000018218	Date of first issue: 05.10.2023

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT - single exposure

Based on available data, the classification criteria are not met.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Aspiration toxicity

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

methacrylic acid, monoester with propane-1,2-diol:

Toxicity to fish : LC50 (Fish): 493 mg/l
Exposure time: 48 Hours
Test Type: static test

maleic acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 5 mg/l
Exposure time: 96 Hours
Test Type: static test

alpha,alpha-dimethylbenzyl hydroperoxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3,9 mg/l
Exposure time: 96 Hours
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7 mg/l
Exposure time: 24 Hours
Test Type: static test

methyl methacrylate:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Spartex 850475

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2023
1.1	20.11.2023	100000018218	Date of first issue: 05.10.2023

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 79 mg/l
Exposure time: 96 Hours
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 69 mg/l
Exposure time: 48 Hours
Test Type: static test

butyl methacrylate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 11 mg/l
Exposure time: 96 Hours
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 32 mg/l
Exposure time: 48 Hours
Test Type: static test

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): 57 mg/l
Exposure time: 96 Hours
Test Type: flow-through test

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

maleic acid:

Partition coefficient: n-octanol/water : log Pow: -0,48

methyl methacrylate:

Partition coefficient: n-octanol/water : log Pow: 1,38

butyl methacrylate:

Partition coefficient: n-octanol/water : log Pow: 2,88

12.4 Mobility in soil

Product:

Mobility : Medium: Soil
Remarks: Do not allow product to reach ground water, water bodies or sewage system.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Spartex 850475

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2023
1.1	20.11.2023	100000018218	Date of first issue: 05.10.2023

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of with domestic refuse.
Do not dispose of waste into sewer.
Hand over to disposers of hazardous waste.
Can be deposited with household garbage after solidification following consultation with the operator of the waste disposal facility and the pertinent authorities and under adherence to the necessary technical regulations.
The generation of waste should be avoided or minimized wherever possible.
Incinerate under controlled conditions in accordance with all local and national laws and regulations.
Disposal must be made according to official regulations.

These EU waste code numbers are recommendations for waste accruing through the use of adhesives and sealants. Any waste produced from organic solvents or other dangerous substances (according GHS) listed under section 3 of this safety datasheet is itself classified as dangerous (*).

Waste accruing during application:

08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Waste accruing during cleaning:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Spartex 850475

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2023
1.1	20.11.2023	100000018218	Date of first issue: 05.10.2023

08 04 11* adhesive and sealant sludges containing organic solvents or other dangerous substances
08 04 12 adhesive and sealant sludges other than those mentioned in 08 04 11

Waste packaging:

15 01 01 paper and cardboard packaging
15 01 02 plastic packaging
15 01 04 metallic packaging
15 01 10* packaging containing residues of or contaminated by dangerous substances.

Contaminated packaging : Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Conditions of restriction for the following entries should be considered:
Number on list 75, 3

formaldehyde (Number on list 72, 28)

maleic acid
trisodium nitrilotriacetate

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Spartex 850475

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2023
1.1	20.11.2023	100000018218	Date of first issue: 05.10.2023

propan-2-ol
methyl methacrylate
butyl methacrylate
cumene
tetrasodium ethylenediaminetetraacetate (>10 - 24% in a non hazardous diluent)
octamethylcyclotetrasiloxane

REACH - Candidate List of Substances of Very High Concern for Authorisation (SVHC, Article 59) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

RoHS: 2011/65/EU, Restriction of Hazardous Substances : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: 0,98 %

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

AIIC : On the inventory, or in compliance with the inventory

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Spartex 850475

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2023
1.1	20.11.2023	100000018218	Date of first issue: 05.10.2023

PICCS : On the inventory, or in compliance with the inventory

REACH : On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Full text of H-Statements

H225	: Highly flammable liquid and vapour.
H226	: Flammable liquid and vapour.
H242	: Heating may cause a fire.
H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H311	: Toxic in contact with skin.
H312	: Harmful in contact with skin.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H331	: Toxic if inhaled.
H335	: May cause respiratory irritation.
H373	: May cause damage to organs through prolonged or repeated exposure.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Org. Perox.	: Organic peroxides
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure
2009/161/EU	: Europe. COMMISSION DIRECTIVE 2009/161/EU establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC
IE OEL	: List of Chemical Agents and Carcinogens with Occupational

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Spartex 850475

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2023
1.1	20.11.2023	100000018218	Date of first issue: 05.10.2023

	Exposure Limit Values - Code of Practice, Schedule 1 and 2
2009/161/EU / TWA	: Limit Value - eight hours
2009/161/EU / STEL	: Short term exposure limit
IE OEL / OELV - 8 hrs (TWA)	: Occupational exposure limit value (8-hour reference period)
IE OEL / OELV - 15 min (STEL)	: Occupational exposure limit value (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Contact Point : Prepared by: Global Regulatory Department
info-rubix-engineering@rubix.com

Classification of the mixture:

Eye Irrit. 2

H319

Classification procedure:

Calculation method

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Spartex 850475

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2023
1.1	20.11.2023	100000018218	Date of first issue: 05.10.2023

Skin Sens. 1

H317

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN