

Arcanol LOAD150

Safety Data Sheet (UK REACH) (GB)

Date printed 26.08.2021, Revision 26.08.2021
Version 08. Supersedes version: 07

Page 1 / 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Arcanol LOAD150

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company

Schaeffler Technologies AG & Co. KG
Georg-Schäfer-Str. 30
97421 Schweinfurt / GERMANY
Phone +49 (0)9721 91 - 0
Homepage www.schaeffler.com

Address enquiries to

Technical information

support.is@schaeffler.com

Safety Data Sheet

sdb@chemiebuero.de

1.4 Emergency telephone number

Advisory body

+49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Skin Sens. 1: H317 May cause an allergic skin reaction.
Eye Irrit. 2: H319 Causes serious eye irritation.

Arcanol LOAD150

Safety Data Sheet (UK REACH) (GB)

Date printed 26.08.2021, Revision 26.08.2021
Version 08. Supersedes version: 07

Page 2 / 16

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictograms



Signal word

WARNING

Contains:

Zinc naphthenate

Hazard statements

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

Precautionary statements

P280 Wear protective gloves / eye protection / face protection.
P302+P352 IF ON SKIN: Wash with plenty of water / soap.
P333+P313 If skin irritation or rash occurs: Get medical advice / attention.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice / attention.
P501 Dispose of contents/container in accordance with local/national regulation.

2.3 Other hazards

Physico-chemical hazards

Combustible.

Human health dangers

High Pressure Applications. Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency.

Environmental hazards

Does not contain any PBT or vPvB substances.

Other hazards

Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

Arcanol LOAD150

Safety Data Sheet (UK REACH) (GB)

Date printed 26.08.2021, Revision 26.08.2021
Version 08. Supersedes version: 07

Page 3 / 16

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
1 - 2.9	Lithium tetrahydroxyborate
	CAS: 12006-96-1/12007-60-2
	GHS/CLP: Acute Tox. 4: H302 - Eye Dam. 1: H318 - Repr. 2: H361d
	SCL [%]: >= 7,6: Repr. 2: H361
1 - < 2.5	Zinc naphthenate
	CAS: 84418-50-8
	GHS/CLP: Skin Sens. 1B: H317 - Eye Irrit. 2: H319 - Aquatic Chronic 2: H411

Comment on component parts

Contains less than 3% w/w DMSO-extract (only for mineral oils)
It does not contain a component of the PRTR register (Pollutant Release and Transfer Register).
Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Change soaked clothing.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Seek medical advice immediately. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

None known.

Arcanol LOAD150

Safety Data Sheet (UK REACH) (GB)

Date printed 26.08.2021, Revision 26.08.2021
Version 08. Supersedes version: 07

Page 4 / 16

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to your doctor.

Note: High Pressure Applications

Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. Injuries may not appear serious at first but within a few hours tissue becomes swollen, discoloured and extremely painful with extensive subcutaneous necrosis. Surgical exploration should be undertaken without delay. Thorough and extensive debridement of the wound and underlying tissue is necessary to minimise tissue loss and prevent or limit permanent damage. Note that high pressure may force the product considerable distances along tissue planes.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing

Foam.
Dry powder.
Water spray jet.
Carbon dioxide.

Extinguishing media that must not be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.
Forms slippery surfaces with water.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.
Prevent spread over a wide area (e.g. by containment or oil barriers).

Arcanol LOAD150

Safety Data Sheet (UK REACH) (GB)

Date printed 26.08.2021, Revision 26.08.2021
Version 08. Supersedes version: 07

Page 5 / 16

6.3 Methods and material for containment and cleaning up

Take up mechanically.
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.
No special measures necessary if used correctly.
The product is combustible.
Wash hands before breaks and after work.
Use barrier skin cream.
Cloths contaminated with product should not be kept in trouser pockets.
Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Do not store together with oxidizing agents.
Keep container tightly closed.
Keep away from frost.
Keep in a cool place. Store in a dry place.

7.3 Specific end use(s)

See product use, SECTION 1.2

Arcanol LOAD150

Safety Data Sheet (UK REACH) (GB)

Date printed 26.08.2021, Revision 26.08.2021

Page 6 / 16

Version 08. Supersedes version: 07

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

**Ingredients with
occupational exposure
limits to be monitored (GB)**

not applicable

DNEL

Substance
Zinc naphthenate, CAS: 84418-50-8
Industrial, dermal, Long-term - systemic effects, 1.4 mg/kg bw/d (AF= 50)
Industrial, inhalative, Long-term - systemic effects, 4.93 mg/m ³ (AF= 12.5)
general population, oral, Long-term - systemic effects, 0.5 mg/kg bw/d (AF= 100)
general population, inhalative, Long-term - systemic effects, 0.87 mg/m ³ (AF= 25)
general population, dermal, Long-term - systemic effects, 0.5 mg/kg bw/d (AF= 100)
Lithium tetrahydroxyborate, CAS: 12006-96-1/12007-60-2
Industrial, dermal, Long-term - systemic effects, 333 mg/kg bw/d (AF= 30)
Industrial, inhalative, Acute - systemic effects, 7.1 mg/m ³ (AF= 12.5)
Industrial, inhalative, Long-term - systemic effects, 7.1 mg/m ³ (AF= 12.5)
general population, inhalative, Long-term - systemic effects, 1.74 mg/m ³ (AF= 25)
general population, oral, Long-term - systemic effects, 0.83 mg/kg bw/d (AF= 60)
general population, dermal, Long-term - systemic effects, 166 mg/kg bw/d (AF= 60)

PNEC

Substance
Zinc naphthenate, CAS: 84418-50-8
soil, 35.6 mg/kg dw (AF= 1)
sediment (seawater), 56.5 mg/kg dw (AF= 1)
sediment (freshwater), 117.8 mg/kg dw (AF= 1)
sewage treatment plants (STP), 52 µg/L (AF= 100)
seawater, 6.1 µg/L (AF= 1)
freshwater, 20.6 µg/L (AF= 1)
Lithium tetrahydroxyborate, CAS: 12006-96-1/12007-60-2
sewage treatment plants (STP), 44 mg/L (AF= 10)

Arcanol LOAD150

Safety Data Sheet (UK REACH) (GB)

Date printed 26.08.2021, Revision 26.08.2021
Version 08. Supersedes version: 07

Page 7 / 16

8.2 Exposure controls

Additional advice on system design Ensure adequate ventilation on workstation.
General exposure limit for oil mist should be noted.
Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.

Eye protection If there is a risk of splashing:
Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further information.
> 0.4 mm Butyl rubber, >120 min (EN 374-1/-2/-3).

Skin protection not applicable

Other Avoid contact with eyes and skin.

Respiratory protection Breathing apparatus in the event of aerosol or mist formation.
Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)

Thermal hazards not applicable

Delimitation and monitoring of the environmental exposition Comply with applicable environmental regulations limiting discharge to air, water and soil.

Arcanol LOAD150

Safety Data Sheet (UK REACH) (GB)

Date printed 26.08.2021, Revision 26.08.2021
Version 08. Supersedes version: 07

Page 8 / 16

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	pasty
Color	red
Odor	characteristic
Odour threshold	not applicable
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	No information available.
Flash point [°C]	> 200 (392°F)
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	ca. 1 Vol.%
Upper explosion limit	ca. 10 Vol.%
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	< 0.0005 (20°C, 68°F)
Density [g/cm³]	1.0 (DIN 51757) (15 °C / 59,0 °F)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	virtually insoluble
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	> 6
Kinematic viscosity	not applicable
Relative vapour density	> 1
Evaporation speed	not applicable
Melting point [°C]	No information available.
Auto-ignition temperature	> 320 (608°F)
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

9.2 Other information

Drop point: > 240 (464°F)

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

Arcanol LOAD150

Safety Data Sheet (UK REACH) (GB)

Date printed 26.08.2021, Revision 26.08.2021
Version 08. Supersedes version: 07

Page 9 / 16

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

If product is heated above decomposition temperature toxic vapours may be released.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Strong oxidizing agent.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Arcanol LOAD150

Safety Data Sheet (UK REACH) (GB)

Date printed 26.08.2021, Revision 26.08.2021

Page 10 / 16

Version 08. Supersedes version: 07

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

Product	
LD50, oral, Rat, > 5000 mg/kg bw	
Substance	
Zinc naphthenate, CAS: 84418-50-8	
LD50, oral, Rat, > 2000 mg/kg bw	
Lithium tetrahydroxyborate, CAS: 12006-96-1/12007-60-2	
LD50, oral, Rat, 500 mg/kg bw	

Acute dermal toxicity

Product	
LD50, dermal, Rabbit, > 5000 mg/kg bw	
Substance	
Zinc naphthenate, CAS: 84418-50-8	
LD50, dermal, Rat, > 2000 mg/kg bw	
Lithium tetrahydroxyborate, CAS: 12006-96-1/12007-60-2	
LD50, dermal, > 2000 mg/kg bw	

Acute inhalational toxicity

Substance	
Zinc naphthenate, CAS: 84418-50-8	
LC50, inhalative, Rat, > 0.42 mg/l/4h	

Serious eye damage/irritation

Toxicological data of complete product are not available.
Irritant
Calculation method

Skin corrosion/irritation

Slight irritant effect.
Based on the available information, the classification criteria are not fulfilled.

Respiratory or skin sensitisation

Toxicological data of complete product are not available.
May cause an allergic skin reaction.
Calculation method

Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

Arcanol LOAD150

Safety Data Sheet (UK REACH) (GB)

Date printed 26.08.2021, Revision 26.08.2021

Page 11 / 16

Version 08. Supersedes version: 07

Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	No mutagenous properties. Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Toxicological data of complete product are not available. No classification due to substance-specific concentration limits.
Carcinogenicity	No cancerogenic properties known Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

SECTION 12: Ecological information

12.1 Toxicity

	Product
	LL50, Algae, > 100 mg/L
	LL50, Daphnia magna, > 100 mg/L
	LL50, fish, > 100 mg/L
	Substance
	Lithium tetrahydroxyborate, CAS: 12006-96-1/12007-60-2
	EC50, (48h), Daphnia magna, > 100 mg/L

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	The product is not readily biodegradable.

Arcanol LOAD150

Safety Data Sheet (UK REACH) (GB)

Date printed 26.08.2021, Revision 26.08.2021
Version 08. Supersedes version: 07

Page 12 / 16

12.3 Bioaccumulative potential

Contains components with the potential to bioaccumulate.

12.4 Mobility in soil

Product is immobilized by adsorption to soil particles.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

The product is insoluble in water.

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with national regulations.

Product

Disposal in an incineration plant in accordance with the regulations of the local authorities.

In according to RoHS!

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Uncontaminated packaging may be reused.

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Arcanol LOAD150

Safety Data Sheet (UK REACH) (GB)

Date printed 26.08.2021, Revision 26.08.2021
Version 08. Supersedes version: 07

Page 13 / 16

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Arcanol LOAD150

Safety Data Sheet (UK REACH) (GB)

Date printed 26.08.2021, Revision 26.08.2021
Version 08. Supersedes version: 07

Page 14 / 16

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

TRANSPORT- ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2021)
NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- **Observe employment restrictions for people** Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.

- **VOC (2010/75/CE)** 0 %

15.2 Chemical safety assessment

not applicable

Arcanol LOAD150

Safety Data Sheet (UK REACH) (GB)

Date printed 26.08.2021, Revision 26.08.2021

Page 15 / 16

Version 08. Supersedes version: 07

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV®/TWA = Threshold limit value – time-weighted average
TLV®STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

Arcanol LOAD150

Safety Data Sheet (UK REACH) (GB)

Date printed 26.08.2021, Revision 26.08.2021
Version 08. Supersedes version: 07

Page 16 / 16

16.2 Other information

Classification procedure

Skin Sens. 1: H317 May cause an allergic skin reaction. (Calculation method)
Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)

Modified position

SECTION 3 deleted: Alkyl thiadiazole
SECTION 3 deleted: 2,2,4-Trimethyl-1,2-dihydroxiquinoline, polymerizate

SECTION 2 deleted: Aquatic Chronic 3
SECTION 2 deleted: P273 Avoid release to the environment.
SECTION 2 deleted: H412 Harmful to aquatic life with long lasting effects.