Regulation EC No 1907/2006 Art.31

FORMULA 10 Creationdate: 29.06.17 Version: 1.1 Productname: Ref.Nr.: UDS000268 3 20170629 (EN) Replaces: UDS000268 20150316

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

#### **FORMULA 10**

Aerosol

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Release Agents

#### 1.3. Details of the supplier of the safety data sheet

**CRC Industries UK Ltd. Ambersil House - Wylds Road Castlefield Industrial Estate TA6 4DD Bridgwater Somerset United Kingdom** 

Tel.: +44 1278 727200 Fax.: +44 1278 425644

E-mail: hse.uk@crcind.com

#### 1.4. Emergency telephone number

(+44)(0)1278 72 7200 (office hours)

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008

Physical: Aerosols, category 1

Extremely flammable aerosol.

Pressurised container: May burst if heated.

Classification is based on test data.

Health: Skin irritation, category 2 Causes skin irritation.

Specific target organ toxicity - single exposure, category 3

May cause drowsiness or dizziness.

Classification based on calculation method.

**Environment:** Hazardous to the aquatic environment, chronic category 2

Toxic to aquatic life with long lasting effects.

Classification based on calculation method.



#### Regulation EC No 1907/2006 Art.31

Productname: FORMULA 10 Creationdate: 29.06.17 Version: 1.1 Ref.Nr.: UDS000268 3 20170629 (EN) Replaces: UDS000268 20150316

#### 2.2. Label elements

### Labelling according to Regulation (EC) No 1272/2008

Product identifier: Contains:

hydrocarbons, C6, isoalkanes, < 5% n-hexane

Hazard pictogram(s):



Signal word: Danger

Hazard statement(s): H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated.

H315: Causes skin irritation.

H336: May cause drowsiness or dizziness.

H411: Toxic to aquatic life with long lasting effects.

Precautionary statement(s): P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P211: Do not spray on an open flame or other ignition source.

P251: Do not pierce or burn, even after use.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P271: Use only outdoors or in a well-ventilated area.

P410/412: Protect from sunlight. Do not expose to temperatures exceeding

50°C/122°F.

P501-2: Dispose of contents/container to an authorised waste collection point.

#### 2.3. Other hazards

No information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable.

#### 3.2. Mixtures

Hazardous ingredient	Registration number	CAS- nr.	EC-nr	w/w %	Hazard Class and Category	Hazard statement	Notes
Hydrocarbons,C3-4-rich, petroleum distillate Petroleumgas (1,3-butadiene < 0.1%)	01- 2119485926- 20	68512- 91-4	270- 990-9	30- 60	Press. Gas, Flam. Gas 1	H280,H220	K,G
hydrocarbons,C6,isoalkanes,< 5% n- hexane	01- 2119484651- 34	-	(931- 254-9)	30- 60	Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2	H225,H315,H336,H304,H411	Q
(2-methoxymethylethoxy)propanol	01- 2119450011- 60	34590- 94-8	252- 104-2	0-1	-	-	A
Explanation notes							



### Regulation EC No 1907/2006 Art.31

 Productname :
 FORMULA 10
 Creationdate :
 29.06.17 Version : 1.1

 Ref.Nr.:
 UDS000268\_3\_20170629 (EN)
 Replaces:
 UDS000268\_20150316

A: substance with Community workplace exposure limit

G: exempted from the obligation to register in accordance with art.2(7) of REACH Regulation No 1907/2006

K: not classified as carcinogen, less than 0.1% w/w 1,3-butadiene (Einecs-nr. 203-450-8)

Q: The CAS-no is only an indicative identifier to be used outside the EU for global inventory entries.

(\* Explanation phrases : see chapter 16)

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Contact with eyes: If substance has got into eyes, immediately wash out with plenty of water

If eye irritation persists: Get medical advice/attention.

**Contact with skin :** Take off contaminated clothing and wash before reuse.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

**Ingestion:** If swallowed do not induce vomiting because of risk of aspiration into the

lungs. If aspiration is suspected obtain immediate medical attention

#### 4.2. Most important symptoms and effects, both acute and delayed

**Inhalation :** Excessive inhalation of solvent vapours may give rise to nausea, headaches

and dizziness

**Ingestion:** After vomiting of swallowed product aspiration into lungs is likely. Solvents

may induce chemical pneumonia.

Symptoms: sore throat, abdominal pain, nausea, vomiting

**Skin contact :** Irritating to skin

Symptoms: redness and pain

**Eye contact :** May cause irritation.

Symptoms: redness and pain

#### 4.3. Indication of any immediate medical attention and special treatment needed

**General Advice:** If you feel unwell, seek medical advice (show the label where possible

If symptoms persist always call a doctor

# SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

foam, carbon dioxide or dry agent

### 5.2. Special hazards arising from the substance or mixture

Aerosols may explode if heated above 50°C Forms hazardous decomposition products CO,CO2



### Regulation EC No 1907/2006 Art.31

 Productname :
 FORMULA 10
 Creationdate :
 29.06.17 Version : 1.1

 Ref.Nr.:
 UDS000268\_3\_20170629 (EN)
 Replaces:
 UDS000268\_20150316

### 5.3. Advice for firefighters

Keep container(s) exposed to fire cool, by spraying with water In case of fire, do not breathe fumes

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Shut off all ignition sources Ensure adequate ventilation Wear suitable protective clothing and gloves.

#### 6.2. Environmental precautions

Do not allow to enter public sewers and watercourses

#### 6.3. Methods and material for containment and cleaning up

Absorb spillage in suitable inert material

#### 6.4. Reference to other sections

For further information see section 8

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Keep away from heat and sources of ignition

Take precautionary measures against static discharges

Equipment should be earthed

Use explosion-proof electrical/ventilating/lighting/.../equipment.

Use only non-sparking tools.

Do not breathe aerosols or vapours.

Ensure adequate ventilation

Avoid contact with skin and eyes.

Wash thoroughly after use

Wear protective gloves/protective clothing/eye protection/face protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Keep out of reach of children.

### 7.3. Specific end use(s)

Release Agents



### Regulation EC No 1907/2006 Art.31

29.06.17 Version: 1.1 FORMULA 10 Creationdate: Productname: Ref.Nr.: UDS000268 3 20170629 (EN) Replaces: UDS000268 20150316

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### **Exposure limits:**

Hazardous ingredient	CAS-nr.	method	
EU established exposure limits:		-	
(2-methoxymethylethoxy)propanol	34590-94-8	TWA	50 ppm
National established exposure limits, United Kingdom		-	
(2-methoxymethylethoxy)propanol	34590-94-8	TWA	50 ppm

#### 8.2. Exposure controls

Ensure adequate ventilation **Control procedures:** 

Keep away from heat and sources of ignition

Take precautionary measures against static discharges

Take precautions to avoid contact with skin and eyes when handling the Personal protection:

product.

In all cases handle and use the product in accordance with good industrial

hygiene practices.

Ensure adequate ventilation

inhalation: In case of insufficient ventilation, wear suitable respiratory equipment.

When handling the product wear chemical-resistant gloves (standard EN 374). hands and skin:

Use a reusable glove with a minimum breakthrough time of 30 minutes. The breakthrough time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be

changed part-way through. Recommended gloves: Nitrile

eves: Wear safety eyewear according to EN 166.

Avoid release to the environment. **Environmental protection:** 

Collect spillage.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

(for aerosols data for the product without propellant)

Apperance : physical state : Propane/butane propelled liquid.

colour: Colorless. odour: Solvent. pH: Not applicable.

Boiling point/range: 55 °C Flash point: - 26 °C Explosion limits: upper limit: 9.4 % lower limit: 1.1 %

Relative density: 0.655 g/cm3 (@ 20°C).



### Regulation EC No 1907/2006 Art.31

FORMULA 10 Productname:

Ref.Nr.: UDS000268 3 20170629 (EN)

Creationdate: Replaces:

29.06.17 Version: 1.1 UDS000268 20150316

Solubility in water: Insoluble in water

> 200 °C Auto-ignition: Viscosity: Not available.

#### 9.2. Other information

VOC = volatile organic compounds

599 g/l

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reactions known if used for its intended purpose

#### 10.2. Chemical stability

Stable

### 10.3. Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose

#### 10.4. Conditions to avoid

Avoid overheating

## 10.5. Incompatible materials

Strong oxidising agent

### 10.6. Hazardous decomposition products

CO,CO2

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

based on available data the classification criteria are not met acute toxicity: skin corrosion/irritation: Causes skin irritation. serious eye damage/irritation: based on available data the classification criteria are not met respiratory or skin based on available data the classification criteria are not met sensitisation: germ cell mutagenicity: based on available data the classification criteria are not met carcinogenicity: based on available data the classification criteria are not met toxicity for reproduction: based on available data the classification criteria are not met STOT-single exposure: May cause drowsiness or dizziness.

STOT repeated exposure: based on available data the classification criteria are not met



### Regulation EC No 1907/2006 Art.31

Productname: FORMULA 10 Creationdate: 29.06.17 Version: 1.1 Ref.Nr.: UDS000268 3 20170629 (EN) Replaces: UDS000268 20150316

based on available data the classification criteria are not met aspiration hazard:

### Information on likely routes of exposure:

Inhalation: Inhalation of solvent vapours may give rise to nausea, headaches and

dizziness

Ingestion: After vomiting of swallowed product aspiration into lungs is likely. Solvents

may induce chemical pneumonia.

Skin contact: Irritating to skin Eye contact: May cause irritation.

### Toxicological data:

Hazardous ingredient	CAS-nr.	method	
(2-methoxymethylethoxy)propanol	34590-94-8	LD50 oral rat	> 5000 mg/kg
		LD50 derm.rabit	> 10000 mg/kg
hydrocarbons,C6,isoalkanes,< 5% n-hexane	-	LD50 oral rat	> 5000 mg/kg
		LC50 inhal.rat	> 20 mg/l
		LD50 derm.rabit	> 3000 mg/kg

# SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, chronic category 2 Toxic to aquatic life with long lasting effects.

#### **Ecotoxicological data:**

Hazardous ingredient	CAS-nr.	method		
(2-methoxymethylethoxy)propanol	34590-94-8	IC50 algae	> 100 mg/l	
		LC50 fish	> 10000 mg/l	
		EC50 daphnia	> 100 mg/l	
hydrocarbons,C6,isoalkanes,< 5% n-hexane	-	IC50 algae	55 mg/l	
		LC50 fish	> 1 mg/l	
		EC50 daphnia	3.87 mg/l	

## 12.2. Persistence and degradability

No information available

### 12.3. Bioaccumulative potential

No information available

### 12.4. Mobility in soil



### Regulation EC No 1907/2006 Art.31

FORMULA 10 Productname:

Creationdate: 29.06.17 Version: 1.1 Ref.Nr.: UDS000268 3 20170629 (EN) Replaces: UDS000268 20150316

Insoluble in water

#### 12.5. Results of PBT and vPvB assessment

No information available

### 12.6. Other adverse effects

No information available

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product: This material and its container must be disposed of in a safe way.

Do not discharge into drains or the environment, dispose to an authorised

waste collection point.

Disposal should be in accordance with local, state or national legislation Contaminated packaging:

## SECTION 14: Transport information

#### 14.1. UN number

1950 **UN-number**:

## 14.2. UN proper shipping name

Proper shipping name: AEROSOLS (hydrocarbons)

#### 14.3. Transport hazard class(es)

Class: 2.1 ADR/RID - Classification code: 5F

### 14.4. Packing group

Packing group: Not applicable.

#### 14.5. Environmental hazards

ADR/RID - Environmentally

Yes hazardous:

IMDG - Marine pollutant: Marine pollutant

IATA/ICAO - Environmentally

Yes hazardous:

# 14.6. Special precautions for user



### Regulation EC No 1907/2006 Art.31

 Productname :
 FORMULA 10
 Creationdate :
 29.06.17 Version : 1.1

 Ref.Nr.:
 UDS000268\_3\_20170629 (EN)
 Replaces:
 UDS000268\_20150316

 ADR/RID - Tunnelcode:
 (D)

 IMDG - Ems:
 F-D, S-U

 IATA/ICAO - PAX:
 203

 IATA/ICAO - CAO
 203

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Safety Data Sheet is compiled according to the current European requirements.

Regulation (EC) No 1907/2006 (REACH)

Regulation (EC) No 1272/2008 (CLP)

Dir. 2013/10/EU, 2008/47/EC amendment of the aerosol dispenser directive 75/324/EEC.

### 15.2. Chemical safety assessment

No information available

### SECTION 16: Other information

\*Explanation hazard statements: -:-

H220 : Extremely flammable gas.

H225: Highly flammable liquid and vapour.

H280: Contains gas under pressure; may explode if heated.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H336: May cause drowsiness or dizziness.

H411: Toxic to aquatic life with long lasting effects.

acronyms and synonyms: TWA = time weight average

STEL = short time exposure limit VOC = volatile organic compounds PBT = persistant bioaccumulative toxic vPvB = very persitant very bioaccumulative

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks,no part of these documents may be reproduced by any process without written permission from CRC.

