

1987 A SLIDING T BAR WITH RELEASE 1/2"

- Secured against unintentional removal
- GEDORE vanadium steel 31CrV3, polished, chrome-plated
- Turn handle for easy locking and releasing
- Accidental release when working is prevented because of the asymmetrical release point
- Particularly useful for work in sensitive areas where certainty against loss is a theme
- Examples: Aircraft engine, work in deep machine bodies
- DBG (German utility patent)



1/2"	12.5	292	0.375	Code	No.
1/2	12.5	292	0.375	1871641	1987 A

1990 EXTENSION 1/2"

- Acc. to DIN 3123, ISO 3316
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device
- GEDORE vanadium steel 31CrV3, chrome-plated
- * not standardised



1990-2.1/2



1990-3



1990-5



1990-7



1990-10

1/2"	12.5	*	63	0.115	Code	No.
1/2	12.5	*	63	0.115	6143510	1990-2.1/2
1/2	12.5	*	76	0.137	6143780	1990-3
1/2	12.5	*	125	0.188	6143860	1990-5

1/2"	12.5	*	180	0.264	Code	No.
1/2	12.5	*	180	0.264	6142890	1990-7
1/2	12.5	*	250	0.361	6143940	1990-10
1/2	12.5	*	305	0.411	6129950	1990-12

1990 A EXTENSION 1/2"

with release

- Easy access to deep-fitting screws
- Locking ring prevents unintentional release of the socket
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device



1990 A-5



1990 A-10



1/2"	12.5	125	0.216	Code	No.
1/2	12.5	125	0.216	1640828	1990 A-5

1/2"	12.5	250	0.386	Code	No.
1/2	12.5	250	0.386	1640801	1990 A-10

1990 KR UNIVERSAL EXTENSION 1/2"

- With ball end
- For hand-operated sockets with square drive as per DIN 3120, ISO 1174, with ball locking device
- The extension is able to pivot up to 15°
- Load capacity max. 230 N-m
- GEDORE vanadium steel 31CrV3, polished, chrome-plated




1990 KR-5



1990 KR-7



1990 KR-10



1/2"	12.5	125	0.180	Code	No.
1/2	12.5	125	0.180	6173180	1990 KR-5
1/2	12.5	180	0.255	6225590	1990 KR-7

1/2"	12.5	250	0.345	Code	No.
1/2	12.5	250	0.345	6366570	1990 KR-10