

Steam Fittings & Assemblies



Technical Specification

- Sizes 1/2" – 2" (13mm - 50mm)
- Material - 1/2" to 1"
 - Clamps - #35 Steel Cast
 - Stems & Spuds Nuts - Plated Steel
 - Lug Nuts - Malleable Iron
- Material - 1 1/4" - 2"
 - Clamps - Cast Malleable Iron
- Threads: BSP or NPT
- Working pressures: Max 600 PSI provided clamps are correctly selected and fitted to an appropriate hose
- Clamps up to 3/4" size have two bolts and 1" clamps have four bolts

Features & Benefits

- Available as complete assemblies or component parts
- Reuseable and of robust construction

Applications

- Oil refineries
- Chemical plants
- Industrial steam applications

Code	Size	Thread Type	Connection	Material
Full Female Assembly				
GJA050	1/2"	BSP	Female Thread by Hose Tail Assembly	Steel
GJA075	3/4"	BSP	Female Thread by Hose Tail Assembly	Steel
GJA075-NPT	3/4"	NPT	Female Thread by Hose Tail Assembly	Steel
GJA100	1"	BSP	Female Thread by Hose Tail Assembly	Steel
GJA100-NPT	1"	NPT	Female Thread by Hose Tail Assembly	Steel
GJA125-NPT	1 1/4"	NPT	Female Thread by Hose Tail Assembly	Malleable Iron
GJA150	1 1/2"	BSP	Female Thread by Hose Tail Assembly	Malleable Iron
GJA150-NPT	1 1/2"	NPT	Female Thread by Hose Tail Assembly	Malleable Iron
GJA200	2"	BSP	Female Thread by Hose Tail Assembly	Malleable Iron

Steam Fittings & Assemblies

Code	Size	Thread Type	Connection	Material
Female Hose Stem Only				
GJS050	1/2"	NA	Hose Stem	Steel
GJS075	3/4"	NA	Hose Stem	Steel
GJS100	1"	NA	Hose Stem	Steel
GJS125	1 1/4"	NA	Hose Stem	Malleable Iron
GJS150	1 1/2"	NA	Hose Stem	Malleable Iron
GJS200	2"	NA	Hose Stem	Malleable Iron
Male Stem				
MS050	1/2"	BSP	Male Thread Hose Tail	Steel
MS075-NPT	3/4"	NPT	Male Thread Hose Tail	Steel
MS075	3/4"	BSP	Male Thread Hose Tail	Steel
MS100-NPT	1"	NPT	Male Thread Hose Tail	Steel
MS100	1"	BSP	Male Thread Hose Tail	Steel
MS125	1 1/4"	BSP	Male Thread Hose Tail	Malleable Iron
MS125-NPT	1 1/4"	NPT	Male Thread Hose Tail	Malleable Iron
MS150-NPT	1 1/2"	NPT	Male Thread Hose Tail	Malleable Iron
MS150	1 1/2"	BSP	Male Thread Hose Tail	Malleable Iron
GJ Female Spud Only				
GJFS050	1/2"	BSP	Female Thread by Male NPS Thread	Steel
GJFS075-NPT	3/4"	NPT	Female Thread by Male NPS Thread	Steel
GJFS075	3/4"	BSP	Female Thread by Male NPS Thread	Steel
GJFS100-NPT	1"	NPT	Female Thread by Male NPS Thread	Steel
GJFS100	1"	BSP	Female Thread by Male NPS Thread	Steel
GJFS125	1 1/4"	BSP	Female Thread by Male NPS Thread	Malleable Iron
GJFS150	1 1/2"	BSP	Female Thread by Male NPS Thread	Malleable Iron
GJFS200	2"	BSP	Female Thread by Male NPS Thread	Malleable Iron
GJFS200-NPT	2"	NPT	Female Thread by Male NPS Thread	Malleable Iron



Steam Fittings & Assemblies

Code	Size	Thread Type	Connection	Material
Swivel Nut				
SN02	1/2"	NPS	Female Thread	Malleable Iron
SN07	3/4" & 1"	NPS	Female Thread	Malleable Iron
SN17	1 1/4" & 1 1/2"	NPS	Female Thread	Malleable Iron
HP Safety Clamps				
HPC01	21mm - 25mm	NA	Double Bolt	Steel
HPC02	25mm - 29mm	NA	Double Bolt	Steel
HPC03	29mm - 31mm	NA	Double Bolt	Steel
HPC04	31mm - 34mm	NA	Double Bolt	Steel
HPC04U	30mm - 33mm	NA	Double Bolt	Steel
HPC05	34mm - 37mm	NA	Double Bolt	Steel
HPC06	37mm - 40mm	NA	Double Bolt	Steel
HPC08	39mm - 42mm	NA	Double Bolt	Steel

