Pressure Gauge for General Purpose/ With Limit Indicator

Series G36/GA36



G36-10-01

• Be sure to read the precautions on page 663 for selection and mounting.

Standard Specifications

Ctandard Opcomoditions								
Model		G36	GA36					
Туре		Back side thread	Vertical side thread					
Port size (1)		R 1/8 (Option M: With M5 female thread)						
Fluid (2)		Air						
Indication precision		±3% F.S. (Full span)						
Material	Case (Surface treatment)	Aluminum die-casted (Black disulfide molybdenum coat treated)	Rolled steel (Black melamine painted					
	Clear cover	Polycarbonate (Part no.: G36-00-00-3)						
	Stud (Surface treatment)	Aluminum die-casted (Black disulfide molybdenum coat treated)	Brass					
	Bourdon tube	Brass						
Mass (kg)		0.04	0.05					

Note 1) When installing a pressure gauge, be careful not to fasten too tight. Excessive tightening will result in damage. Use a pipe tape for sealing. Recommended tightening torque is R 1/6: Set between 7 and 9 N.m

Note 2) Not applicable to water as fluid because its stub is made from aluminum die-casted. Water may cause corrosion and block the air passage. Use a pressure gauge with wetted parts made from stainless steel, G46-□-X3. (Note: Take care when using G36-□-01M, whose wetted part is made from brass. Some corrosion may result.) Design system to not be affected by water hammer when using water as fluid. Similarly, when using other fluids, please consult with SMC, to prevent corrosion-related problems.

Model (Standard)

Model	Pressure range (1)	Indication unit	Connection thread	Note
Model	MPa			
G36-2-01	0 to 0.2		R ¹ / ₈	_
G36-4-01	0 to 0.4			
G36-7-01	0 to 0.7	MPa		
G36-10-01	0 to 1.0			
GA36-10-01	0 to 1.0			

Note 1) Do not apply pressure more than the maximum display pressure. This will cause a malfunction.

Model (Made to Order)
Other versions of this unit can be made on a made-to-order basis.
Please consult with SMC for details, as delivery times may be extended.

Marial	Pressure range (1)		Indication	Connection	Note
Model	MPa	psi	unit	thread	Note
G36-10-01-X2	0 to 1.0	_	MPa	R ¹ / ₈	Plated stem (Ni)
G36-P2-01-X30	0 to 0.2	0 to 30	MPa, psi		_
G36-P10-01-X30	0 to 1.0	0 to 150			
G36-15-01	0 to 1.5	_	MPa		

Note 1) Do not apply pressure more than the maximum display pressure. This will cause a malfunction.

