

The Timken Company 4500 Mt Pleasant St. NW

N. Canton, OH 44720 **Phone:** (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number RSA 1 3/4, Fafnir® Pillow Block Units Eccentric Locking Collar






<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u>

Specifications -				
	Shaft Size d	1 3/4 in 44.5 mm		
	Bearing Type	Ball Bearing		
	Bearing Number	G1112KRRB		
	Dimension T	1.189 in 30.2 mm		
	Series	Industrial		
	Weight	6.755 lb 3.064 Kg		
	Seal Type	Shroud Seal		
	Housing Construction	Two-Bolt Pillow Block		
	Alternate Part Name	RSA13/4		

-	•	
Dim	anci	Onc
		UIIS I
	91191	9119

Base to Center Height H	60.33 mm 2.375 in
Total Length L	209.6 mm 8.252 in
Total Width A	2.374 in 60.3 mm
Bolt Hole Spacing J	168.3 mm 6.626 in
Bolt Hole Width N	19.00 mm 0.748 in
Bolt Hole Length N1	23.8 mm 0.937 in
Foot Height H1	20.6 mm
Total Height H2	114.3 mm 4.500 in
Dimension L1	69.9 mm 2.752 in
Inside Ring Width B	N/A
Center of Bearing from End S	21.5 mm 0.846 in
Dimension B1	2.220 in 56.4 mm

Basic Load Ratings –				
	Static Load Rating	4600 lbf 20500 N		
	Dynamic Load Rating	8160 lbf 36300 N		



Bearing Number	G1112KRRB				┎╗┰┰╴ <i>╱┰┰╬</i> ╱┰╗┰╲┰●
Load Ratings - C _r	8160	lbf	36300	N	
Load Ratings - C _{0r}	4600	lbf	20500	N	
Weight	6.755	lb	3.064	kg	THE TIMKEN COMPANY
					NORTH CANTON, OHIO USA

RSA 1 3/4

Fafnir® Pillow Block Units Eccentric Locking Collar

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY