



The Timken Company


4500 Mt Pleasant St. NW

N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Bearing Unit - Adapter Sleeve UKP206 - HE2306, UKP 200 Pillow Block Mounted Bearings - Adapter Sleeve Locking



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#)

Specifications

Bearing Unit - Adapter Sleeve	UK206 - HE2306
Shaft Size d	1.0000 in
Adapter Sleeve Number¹	HE2306
Locking Style	Adapter Sleeve Locking
Housing Construction	Two-Bolt Pillow Block

Dimensions

Base to Center Height H	42.9 mm 1.689 in
Total Length L	165 mm 6.496 in
Housing Width A	48 mm 1.89 in



Bolt Hole Spacing J	121 mm 4.764 in
Bolt Hole Size N	17 mm 0.669 in
Bolt Hole Length N1	21 mm 0.827 in
Foot Height H1	17 mm
Total Height H2	84 mm 3.307 in
Dimension L1	47.5 mm 1.87 in
Center of Bearing from End Y	21.5 mm 0.846 in
Dimension B1	38 mm 1.496 in

Basic Load Ratings

Static Load Rating	11300 N 2540 lbf
Dynamic Load Rating	19500 N 4384 lbf

¹ Purchase the Adapter Sleeve separately

