HWP2 Patio Heater

- Safe, instant outdoor heating
- Equally suitable for commercial or domestic installations
- Can be installed outdoors and left outdoors all year round

Typical Applications

- Patios both commercial and domestic
- Pub gardens
- Pavement cafes
- Golf driving ranges
- Nightclub queuing areas
- Smoking areas
- Pergolas

Features

- IP55 rated for outdoor use equally suited to indoor applications
- Aluminium construction with stainless steel safety grille
- Stylish design with choice of black, white or silver paint finish
- High quality replaceable halogen lamp with an average 7000 hours operating life
- Wall mounting bracket with 'up and down' angle adjustment supplied as standard
- Parasol clamp supplied as standard with single lamp heaters
- Suitable for suspension
- Pre-wired 3m high temperature cable







HWP2-S



HWP2-W



HWP2-2B



HWP2-2W







Instant comfort heat in a gazebo



2kW patio heaters keeping golfers warm at a driving range

Standard Heaters - Range and Prices Model kW **Finish Lamp Glow List Price** HWP2-B 1.5 Black Gold £181.00 HWP2-W 1.5 White Gold £181.00 HWP2-S 1.5 Silver Gold £181.00 HWP2-2B 2.0 Black Red £218.00 HWP2-2W 2.0 White Red £218.00 HWP2-3B 3.0 Black Red £318.00 HWP2-3W White £318.00 3.0 Red **HWP2-45B** 4.5 Black Red £455.00

Magic Lamp Heaters - Range and Prices					
Model	kW	Finish	Lamp Glow	List Price	
HWP2-BM	1.5	Black	Magic Lamp	£270.00	
HWP2-WM	1.5	White	Magic Lamp	£270.00	
HWP2-SM	1.5	Silver	Magic Lamp	£270.00	
HWP2-2BM	2.0	Black	Magic Lamp	£274.00	
HWP2-2WM	2.0	White	Magic Lamp	£274.00	
HWP2-3BM	3.0	Black	Magic Lamp	£489.00	
HWP2-3WM	3.0	White	Magic Lamp	£489.00	
HWP2-45BM	4.5	Black	Magic Lamp	£661.00	

Optional Accessories and Prices				
Description	Model	Details	List Price	
Dimmer (3kW max)	VR-2	Page 77	£146.00	
Push Button Timer (6kW max)	TS-7*	Page 74	£138.00	
Movement Sensor (3kW max)	WH-402	Page 77	£112.00	
A Soft Start Polay can prolong la	mp life so	0 0000 70		



^{*} Not suitable for use with a contactor - see TS-8 page 74



A Battersea bistro providing a warm outdoor dining area






All the performance of a conventional shortwave halogen heater but producing the gentlest pink glow

Continued...

HWP2 Patio Heaters Continued


Area Coverage – Wall mounted					
kW	H (m)	X (m)	Y (m)	Z (m)	Area (m²)
1.5 or 2kW	2.0	2.3	2.4	4.0	7.6
1.5 or 2kW	2.5	3.0	3.0	5.2	12.3
3.0	2.0	3.4	2.4	4.5	9.5
3.0	2.5	4.2	3.0	5.8	15.0
4.5	2.0	4.3	2.4	5.0	11.2
4.5	2.5	4.8	3.0	6.4	16.8





Area Coverage – Overhead Mounted					
kW	H (m)	X (m)	Y (m)	Area (m²)	
1.5 or 2kW	2.0	3.6	2.5	9.0	
1.5 or 2kW	2.5	4.8	3.5	16.8	
3.0	2.0	4.3	2.5	10.7	
3.0	2.5	5.2	3.5	18.2	
4.5	2.0	4.8	2.5	12.0	
4.5	2.5	5.6	3.5	19.6	

HWP2-S heaters providing instant heat in the smartest-looking smoking area we have ever seen!



Technical Specification					
kW	Volts	Dimensions(mm)			Weight
		Н	w	D	(kg)
1.5kw	230	120	480	140	1.7
2kW	230	120	480	140	1.7
3kW	230	120	960	140	3.2
4 5kW	230/400	120	1440	140	49



Patio heaters installed with timers to ensure running costs are kept to a minimum



Choice of finishes to match building aesthetics