

TECHNICAL DATASHEET

Update : 26/02/2019

SOLID CARBIDE DRILL - OZMD COATED STUB



Characteristics



Ref.	EAN	Drilling diameter mm	Total length mm	Length of cut mm	Sharpening	Tail	Tip angle °	Internal cooling	Din standard	Angle of helix °	Ratio of diameter to length of drill hole	Tail diameter mm	Coating
855766	3660338111389	1	26	6	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	1	OZMD
855767	3660338111396	1,1	28	7	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	1,1	OZMD
855768	3660338111402	1,2	30	8	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	1,2	OZMD
855769	3660338111419	1,3	30	8	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	1,3	OZMD
855770	3660338111426	1,4	32	9	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	1,4	OZMD
855771	3660338111433	1,5	32	9	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	1,5	OZMD
855772	3660338111440	1,6	34	10	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	1,6	OZMD
855773	3660338111457	1,7	34	10	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	1,7	OZMD
855774	3660338111464	1,8	36	11	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	1,8	OZMD
855775	3660338111471	1,9	36	11	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	1,9	OZMD
855776	3660338111488	2	38	12	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	2	OZMD
855777	3660338111495	2,1	38	12	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	2,1	OZMD
855778	3660338111501	2,2	40	13	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	2,2	OZMD
855779	3660338111518	2,3	40	13	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	2,3	OZMD
855780	3660338111525	2,4	43	14	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	2,4	OZMD
855781	3660338111532	2,5	43	14	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	2,5	OZMD
855782	3660338111549	2,6	43	14	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	2,6	OZMD
855783	3660338111556	2,7	46	16	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	2,7	OZMD
855784	3660338111563	2,8	46	16	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	2,8	OZMD
855785	3660338111570	2,9	46	16	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	2,9	OZMD
855786	3660338111587	3	46	16	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	3	OZMD
855787	3660338111594	3,1	49	18	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	3,1	OZMD
855788	3660338111600	3,2	49	18	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	3,2	OZMD
855789	3660338111617	3,3	49	18	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	3,3	OZMD
855790	3660338111624	3,4	52	20	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	3,4	OZMD
855791	3660338111631	3,5	52	20	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	3,5	OZMD
855792	3660338111648	3,6	52	20	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	3,6	OZMD

855793	3660338111655	3,7	52	20	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	3,7	OZMD
855794	3660338111662	3,8	55	22	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	3,8	OZMD
855795	3660338111679	3,9	55	22	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	3,9	OZMD
855796	3660338111686	4	55	22	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	4	OZMD
855797	3660338111693	4,1	55	22	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	4,1	OZMD
855798	3660338111709	4,2	55	22	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	4,2	OZMD
855799	3660338111716	4,3	58	24	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	4,3	OZMD
855800	3660338111723	4,4	58	24	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	4,4	OZMD
855801	3660338111730	4,5	58	24	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	4,5	OZMD
855802	3660338111747	4,6	58	24	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	4,6	OZMD
855803	3660338111754	4,7	58	24	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	4,7	OZMD
855804	3660338111761	4,8	62	26	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	4,8	OZMD
855805	3660338111778	4,9	62	26	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	4,9	OZMD
855806	3660338111785	5	62	26	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	5	OZMD
855807	3660338111792	5,1	62	26	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	5,1	OZMD
855808	3660338111808	5,2	62	26	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	5,2	OZMD
855809	3660338111815	5,3	62	26	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	5,3	OZMD
855810	3660338111822	5,4	66	28	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	5,4	OZMD
855811	3660338111839	5,5	66	28	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	5,5	OZMD
855812	3660338111846	5,6	66	28	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	5,6	OZMD
855813	3660338111853	5,7	66	28	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	5,7	OZMD
855814	3660338111860	5,8	66	28	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	5,8	OZMD
855815	3660338111877	5,9	66	28	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	5,9	OZMD
855816	3660338111884	6	66	28	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	6	OZMD
855817	3660338111891	6,1	70	31	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	6,1	OZMD
855818	3660338111907	6,2	70	31	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	6,2	OZMD
855819	3660338111914	6,3	70	31	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	6,3	OZMD
855820	3660338111921	6,4	70	31	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	6,4	OZMD
855821	3660338111938	6,5	70	31	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	6,5	OZMD
855822	3660338111945	6,6	70	31	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	6,6	OZMD
855823	3660338111952	6,7	70	31	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	6,7	OZMD
855824	3660338111969	6,8	74	34	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	6,8	OZMD
855825	3660338111976	6,9	74	34	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	6,9	OZMD
855826	3660338111983	7	74	34	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	7	OZMD
855827	3660338111990	7,1	74	34	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	7,1	OZMD
855828	3660338112003	7,2	74	34	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	7,2	OZMD
855829	3660338112010	7,3	74	34	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	7,3	OZMD

855830	3660338112027	7,4	74	34	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	7,4	OZMD
855831	3660338112034	7,5	74	34	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	7,5	OZMD
855832	3660338112041	7,6	79	37	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	7,6	OZMD
855833	3660338112058	7,7	79	37	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	7,7	OZMD
855834	3660338112065	7,8	79	37	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	7,8	OZMD
855835	3660338112072	7,9	79	37	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	7,9	OZMD
855836	3660338112089	8	79	37	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	8	OZMD
855837	3660338112096	8,1	79	37	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	8,1	OZMD
855838	3660338112102	8,2	79	37	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	8,2	OZMD
855839	3660338112119	8,3	79	37	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	8,3	OZMD
855840	3660338112126	8,4	79	37	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	8,4	OZMD
855841	3660338112133	8,5	79	37	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	8,5	OZMD
855842	3660338112140	8,6	84	40	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	8,6	OZMD
855843	3660338112157	8,7	84	40	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	8,7	OZMD
855844	3660338112164	8,8	84	40	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	8,8	OZMD
855845	3660338112171	8,9	84	40	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	8,9	OZMD
855846	3660338112188	9	84	40	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	9	OZMD
855847	3660338112195	9,1	84	40	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	9,1	OZMD
855848	3660338112201	9,2	84	40	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	9,2	OZMD
855849	3660338112218	9,3	84	40	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	9,3	OZMD
855850	3660338112225	9,4	84	40	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	9,4	OZMD
855851	3660338112232	9,5	84	40	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	9,5	OZMD
855852	3660338112249	9,6	89	43	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	9,6	OZMD
855853	3660338112256	9,7	89	43	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	9,7	OZMD
855854	3660338112263	9,8	89	43	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	9,8	OZMD
855855	3660338112270	9,9	89	43	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	9,9	OZMD
855856	3660338112287	10	89	43	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	10	OZMD
855857	3660338112294	10,2	89	43	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	10,2	OZMD
855858	3660338112300	10,5	89	43	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	10,5	OZMD
855859	3660338112317	11	95	47	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	11	OZMD
855860	3660338112324	11,5	95	47	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	11,5	OZMD
855861	3660338112331	12	102	51	Cross-grinding	Cylindrical	118	No	6539 HA	30	4 x D	12	OZMD