


The Timken Company

4500 Mt Pleasant St. NW

N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number 6207H-2RS/FVSL613, Corrosion Resistant Deep Groove Ball Bearings

Timken's corrosion resistant deep groove ball bearings are an ideal fit for a variety of demanding applications. Constructed with stainless rings, rolling elements, and cages, our bearings can improve uptime in a variety of harsh environments.



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#) | [Factors](#)

Specifications

UPC Code	13992223227
Clearance	C0 (Normal)
Bore Size d	35 mm
Bearing Type	Corrosion Resistant DGBB
Features	Contact Seals
Lubrication Type	Food Grade Solid Lube
Material	AISI 440C
Weight	0.270 Kg



Dimensions



Outside Diameter D	72 mm
Outside Ring Width B	17 mm
Radius Rs min	1.1 mm

Basic Load Ratings




Cr - Dynamic Load Rating	21800 N
C0r - Static Load Rating	12300 N

Factors



Grease Reference Speed	10000 rpm
Oil Reference Speed	14000 rpm



METRIC UNITS

Weight 0.27 kg

TIMKEN®

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

6207H-2RS/FVSL613
Corrosion Resistant Deep Groove Ball Bearings

Dynamic Load Rating	21800	N
Static Load Rating	12300	N

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY