


The Timken Company 4500 Mt Pleasant St. NW

N. Canton, OH 44720 **Phone:** (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number GRA104RRB, Fafnir® Eccentric Locking Collar Ball Bearings





<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u>

Spe	Specifications				
	Manufacturing Part Number	GRA104RRB + COL			
	Shaft Size d	1 1/4 in 31.8 mm			
	Bore Type	Cylindrical bore			
	Bearing Type	Ball Bearing			
	Material	Bearing Steel			
	Lubrication Type	Relubricatable			
	O.D. Type	Spherical OD			
	Series	Standard			
	Weight	0.50 lb 0.2 Kg			
	Sub Series	GRARRB			


Seal Type Molded Shroud

Din	Dimensions -					
	Outside Diameter D	2.835 in 72.000 mm				
	Inner Ring Width B	25.4 mm 1.000 in				
	Outside Ring Width C	19.000 mm 0.748 in				
	Radius r	0.6 mm 0.024 in				
	Center of Bearing from End S	9.5 mm 0.374 in				
	Dimension S1	29.4 mm 1.157 in				
	Set Screw Size	5/16-18				
	Number of Set Screws	2				
	Angle between Set Screws	90°				
	Dimension d1	2.126 in 54 mm				
	Dimension M	0.145 in 3.68 mm				
	Dimension B1	1.531 in 38.9 mm				
	Dimension B2	0.673 in 17.1 mm				

Ва	sic Load Ratings	Patings ————————————————————————————————————			
	Static Load Rating	3440 lbf			

11/29/2020 | Page 3 of 3

	TOGOO IA
Dynamic Load Rating	6400 lbf 28500 N





Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY