

# sleeve

- Internal thread
- M5 M8 M10x1,25 M12x1,25 G 1/8 G 1/4 G 3/8 G 1/2 G 3/4 G 1
- Internal thread
- M5 G 1/8 M8 G 1/4 G 3/8 G 1/2 G 3/4 G 1
- FPT-S-RSK



Working pressure min./max.

0 ... 16 bar

Ambient temperature min./max.

-20 ... 80 °C

## Technical data

Part No.	Port G	Port D	Delivery unit
1823300012	M5	M5	10 piece
8932403214	M5	G 1/8	10 piece
R412010028	M8	M8	10 piece
1823373084	M10x1,25	G 1/8	10 piece
1823373085	M10x1,25	G 1/4	10 piece
1823373086	M12x1,25	G 1/8	10 piece
1823373087	M12x1,25	G 1/4	10 piece
1823300000	G 1/8	G 1/8	10 piece
1823300001	G 1/4	G 1/4	10 piece
1823300002	G 3/8	G 3/8	10 piece
1823300008	G 1/2	G 1/2	5 piece
1823300035	G 3/4	G 3/4	2 piece
1823300036	G 1	G 1	2 piece


## Technical information

### Material

Material	Brass, nickel-plated
----------	----------------------

Dimensions

Dimensions



Dimensions

Part No.	Port D	Port G	L	SW
1823300012	M5	M5	10	8
8932403214	G 1/8	M5	14	14
R412010028	M8	M8	15	11
1823373084	G 1/8	M10x1,25	31	13
1823373085	G 1/4	M10x1,25	34	17
1823373086	G 1/8	M12x1,25	31	17
1823373087	G 1/4	M12x1,25	34	17
1823300000	G 1/8	G 1/8	15	13

Part No.	Port D	Port G	L	SW
1823300001	G 1/4	G 1/4	22	17
1823300002	G 3/8	G 3/8	22	22
1823300008	G 1/2	G 1/2	26	27
1823300035	G 3/4	G 3/4	34	32
1823300036	G 1	G 1	38	41

# Efficient pneumatic solutions, our program: cylinders and drives, valves and valve systems, air supply management



Visit us: [Emerson.com/Aventics](https://emerson.com/aventics)

Your local contact: [Emerson.com/contactus](https://emerson.com/contactus)



Emerson.com



Facebook.com/EmersonAutomationSolutions



LinkedIn.com/company/Emerson-Automation-Solutions



Twitter.com/EMR\_Automation

An example configuration is depicted on the title page. The delivered product may thus vary from that in the illustration. Subject to change. This Document, as well as the data, specifications and other information set forth in it, are the exclusive property of AVENTICS GmbH. It may not be reproduced or given to third parties without its consent. Only use the AVENTICS products shown in industrial applications. Read the product documentation completely and carefully before using the product. Observe the applicable regulations and laws of the respective country. When integrating the product into applications, note the system manufacturer's specifications for safe use of the product. The data specified only serve to describe the product. No statements concerning a certain condition or suitability for a certain application can be derived from our information. The information given does not release the user from the obligation of own judgement and verification. It must be remembered that the products are subject to a natural process of wear and aging.

The Emerson logo is a trademark and service mark of Emerson Electric Co. Brand logotype are registered trademarks of one of the Emerson family of companies. All other marks are the property of their respective owners. © 2021 Emerson Electric Co. All rights reserved.  
2021-06



## CONSIDER IT SOLVED™