




# PRODUCT DATA SHEET

Ledlenser P6R-QC CORE Rechargeable Multi-colour LED Torch (270)



# Ledlenser P6R-QC CORE Rechargeable Multi-colour LED Torch (270)

## PRODUCT DESCRIPTION

The rechargeable P6R CORE-QC offers bright light in a choice of four colours that can be focused from flood to spot beam. In addition to normal white light, this robust torch can switch to red light which protect night-vision, green light that is ideal for wildlife observation or blue light which is ideal for fishing and forensic analysis of blood/liquids. The simple rotating switch makes it simple to choose the required light colour instantly and a handy strobe function is an emergency situation to attract attention. Supplied with rechargeable battery, wrist strap and USB charging cable. 7-year with registration warranty for complete peace of mind.

- Quad-colour LED torch with white (270 lm), red (140 lm), green (220 lm) and blue (35 lm) light options
- Focusable for flood (near) or spot (distance) illumination in any of the colours thanks to Ledlenser's patented Advanced Focus System
- The ingenious rotation switch can be used to select between the desired colour even during operation
- Strobe light feature for emergency use
- Supplied with rechargeable Li-ion battery, usb charging cable and wrist strap
- 7-year with registration warranty for complete peace of mind

### TECHNICAL DATA

Length defocused [mm]	157
Length focused [mm]	163
Head diameter [mm]	42
Tube diameter [mm]	27
Weight incl. batteries [g]	207
Weight without batteries [g]	160
Focus function	Yes
Head material	Aluminum alloy
Tube material	Aluminum alloy
Optic	Plastic lense (PMMA)
Cartridge	No

### POWER SUPPLY

Power source type	Rechargeable battery
Battery quantity	1
Battery type	Li-ion
Battery replaceable	Yes
Total battery voltage [V]	3.7
Total battery capacity [mAh]	2500
Total battery energy <sup>2</sup> [Wh]	9.25
Rechargeable	Yes
Charging time <sup>5</sup> [min]	300
Energy modes	Energy Saving
Energy status indicator	Charge Indicator
Usable batteries	CR 123A 3V

### FURTHER SPECIFICATIONS

IP class	IP54
Drop test (drop height) [m]	1.5
Working temperature range [°C]	-20 to +40

### LIGHT FUNCTIONS

Low Power, Mid Power, Power, Strobe

### LIGHT SOURCE

Amount LEDs	1
LED type	High Power LED
Colour	White
Colour temperature [K]	6000 to 6500
Colour rendering index (CRI)	80

### LIGHT VALUES

ANSI – Energy Saving	Boost	Power	Mid Power	Low Power
Light output <sup>1</sup> [lm]		270	120	15
Beam distance <sup>1</sup> [m]		335	220	80
Run time <sup>1</sup> [h]		5	14	110

### SWITCH

End Cap Switch, Mode Switch

### FEATURES

Red Light, Green Light, Blue Light

### TECHNOLOGIES

Advanced Focus System<sup>3</sup>, Rapid Focus

# P6R Core QC

## PACKAGING AND LOGISTICS



### PACKAGING INFORMATION

Type of packaging	Box
Supplied with	Rechargeable I-ion battery USB charging cable Wrist-strap
Item No.	502517
Customs tariff number	8513100000
Colour	black

### SINGLE PACKAGE

Dimensions W x H x D [cm]	7.2 x 21 x 8.5
Gross weight [g]	335.5
GTIN-13	4058205026819

### EXPORT CARTON

Unit	24
Dimensions W x D x H [cm]	45.5 x 29 x 34
Gross weight [kg]	8.80
GTIN-13	4058205026833

# P6R Core QC

## ACCESSORIES

PRODUCT CATEGORY	ITEM NUMBER	PRODUCT NAME
Pouches / Holster	0342	Pouch Type G
Fastenings / Brackets	7799-PT	Universal Mounting Bracket Type B
Fastenings / Brackets	0362	Universal Mounting System
Fastenings / Brackets	502251	Lamp Adapter Type D
	502126	Powerbank Flex3
	502125	Powerbank Flex7
Battery	502128	Batterybox7
Charger / Cable	502271	USB Adapter 2.4A
Charger / Cable	0389	USB Power Supply and Adapter Cable
Charger / Cable	0380	USB Car Charger
Charger / Cable	0355	External 18650 Li-Ion Charger
Battery	501001	18650 Li-Ion rechargeable Battery 3000 mAh

# P6R Core QC

## PRODUCT SERIES

The robust and reliable Ledlenser P-series flashlights offer great performance in a stylish design. Externally reduced to the essentials, they are packed with many useful technologies, such as the patented<sup>3</sup> Advanced Focus System or the advanced Smart Light Technology for individual programmability. Almost all products are protected against dust and water thanks to the innovative Flex Sealing Technology. The new P-series is also the first Ledlenser range of flashlights designed for all user fields. The products of the Core, Work, and Signature range have different designs and are therefore tailor-made for different target groups.

Our Core collection is at the heart of our new P-series lights. Perfect for everyday use in home and garden, for crafts and industry, but also for many recreational applications. The lamps of the Core range offer innovative technologies and functions as well as great performance for the price.

---

## FOOTNOTES

The information pertaining to scope of delivery, appearance, performance, dimensions and weight corresponds to the information available at the time of publication. In the interest of product development, we reserve the right to change scope of delivery, appearance, design and color without prior notice. Product images may vary from the actual products and may show optional accessories which can be purchased separately. Errors and omissions excepted.

1) Measurement values according to ANSI FL1 in the respective setting. If no setting is explicitly indicated, the values refer to luminous flux (lumens/lm) and lighting range (meters/m) on the highest setting, and to battery duration (hours/h) on the lowest setting. A boost function (if available) can be used several times, but only for short periods of time. If the light is equipped with (a) colored LED(s), the measurement values are given for the white light or the white LED. If the light has different energy modes, the measurement is made based on the "energy saving mode".

2) Calculated capacity value in watt-hours (Wh). This applies to the delivery state of the battery/ies inside the respective item, or for lights with rechargeable battery/ies, to the rechargeable battery/ies inside the product when fully charged.

3) EP Patent 1880139, US Patent 7,461,960

5) Charging time varies by hardware used.