



The Timken Company


4500 Mt Pleasant St. NW

N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number UCF213, UCF 200 Four-Bolt Flanged Mounted Bearings - Set Screw Locking



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#)

Specifications

Bearing Number	UC213
Shaft Size d	65 mm
UPC Code	087796073883
Locking Style	Set Screw Locking
Housing Construction	Four-Bolt Square Flange

Dimensions

Total Length L	187 mm 7.362 in
-----------------------	--------------------



Housing Width A 50 mm
1.969 in

Bolt Hole Spacing J 149 mm
5.866 in

Bolt Hole Size N 19 mm
0.748 in

Flange Thickness A1 22 mm
0.866 in

Center of Bearing from Housing End A2 30 mm
1.181 in

Inner Ring Width B 65.1 mm
2.563 in

Center of Bearing from Bearing End S 25.4 mm
1 in

Dimension A0 69.7 mm
2.75 in



Bolt Size M16

Grease Nipple Size A-R1/8

Basic Load Ratings

Static Load Rating 40100 N
9015 lbf

Dynamic Load Rating 57200 N
12859 lbf



Bearing Number	UC213			
Load Ratings - C _r	12859	lbf	57200	N
Load Ratings - C _{0r}	9015	lbf	40100	N
Weight	11.5	lb	5.2	kg
Bolt Size	M16			

TIMKEN®

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

UCF213

UCF 200 Four-Bolt Flanged Mounted
Bearings - Set Screw Locking

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY