
## Vacuum generator VAD-1/8 Part number: 14015







## **Data sheet**

General operating condition

| Feature                            | Value  |
|------------------------------------|--|
| Nominal size, Laval nozzle         | 0.8 mm   |
| Mounting position                  | optional   |
| Ejector characteristic             | High vacuum  |
| Design                             | T-shape  |
| Symbol                             | 00991482   |
| Operating pressure                 | 0.15 MPa 1 MPa   |
| Operating pressure                 | 1.5 bar 10 bar   |
| Operating pressure                 | 21.75 psi 145 psi  |
| Max. vacuum                        | 80 %   |
| Operating medium                   | Compressed air to ISO 8573-1:2010 [7:4:4]  |
| Note on operating and pilot medium | Lubricated operation possible (in which case lubricated operation will always be required) |
| LABS (PWIS) conformity             | VDMA24364-B1/B2-L  |
| Media temperature                  | -20 °C 80 °C   |
| Ambient temperature                | -20 ℃ 80 ℃   |
| Type of mounting                   | With through-hole  |
| Pneumatic connection, port 1       | G1/8   |
| Pneumatic connection, port 3       | G1/8   |
| Vacuum connection                  | G1/8   |
| Material housing                   | Die-cast aluminium   |