

The Timken Company

4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number 6206-2RS-NR, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u> | <u>Factors</u>


Specifications –					
	Clearance	CO (Normal)			
	Bore Size d	30 mm			
	Features	Contact Seals With Snap Ring			
	Bearing Type	Standard DGBB			

Din	Dimensions -					
	Outside Diameter D	62 mm				
6	Outside Bire Mildel B	4.7				
	Outside Ring Width B	16 mm				
	adius Rs min	1 mm				

Snap Ring Diameter D2 max	67.700 mm
Snap Ring Width f max	1.700 mm

N
N

Factors		_
Grease Reference Speed	11000 rpm	
Oil Reference Speed	16000 rpm	



METRIC UNITS

Weight 0.2 kg

THE TIMKEN COMPANY NORTH CANTON, OHIO USA

6206-2RS-NR

Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Dynamic Load Rating Static Load Rating 19500 N 11300 N

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY