

The Timken Company


4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • **Web site:** <u>www.timken.com</u>

Part Number UCF215, UCF 200 Four-Bolt Flanged Mounted Bearings - Set Screw Locking






<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u>


Specifications -					
	Bearing Number	UC215			
	Shaft Size d	75 mm			
	UPC Code	087796073920			
	Locking Style	Set Screw Locking			
	Housing Construction	Four-Bolt Square Flange			

Dimensions		-
Total Length L	200 mm 7.874 in	

Housing Width A	56 mm 2.205 in
Bolt Hole Spacing J	159 mm 6.26 in
Bolt Hole Size N	19 mm 0.748 in
Flange Thickness A1	22 mm 0.866 in
Center of Bearing from Housing End A2	34 mm 1.339 in
Inner Ring Width B	77.8 mm 3.063 in
Center of Bearing from Bearing End S	33.3 mm 1.311 in
Dimension A0	78.5 mm 3.094 in
Bolt Size	M16
Grease Nipple Size	A-R1/8

Basic Load Ratings		-
Static Load Rating	48300 N 10858 lbf	
Dynamic Load Rating	67400 N 15152 lbf	





Bearing Number	UC215			
Load Ratings - C _r	15152	lbf	67400	N
Load Ratings - C _{0r}	10858	lbf	48300	N
Weight	14.1	lb	6.4	kg
Bolt Size	M16			

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

UCF215

UCF 200 Four-Bolt Flanged Mounted Bearings - Set Screw Locking

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY