

The Timken Company


4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • **Web site:** <u>www.timken.com</u>

Part Number UCF217, UCF 200 Four-Bolt Flanged Mounted Bearings - Set Screw Locking






<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u>


Specifications –						
	Bearing Number	UC217				
	Shaft Size d	85 mm				
	UPC Code	087796073999				
	Locking Style	Set Screw Locking				
	Housing Construction	Four-Bolt Square Flange				

Dimensions		-
Total Length L	220 mm 8.661 in	

Housing Width A	63 mm 2.48 in
Bolt Hole Spacing J	175 mm 6.89 in
Bolt Hole Size N	23 mm 0.906 in
Flange Thickness A1	24 mm 0.945 in
Center of Bearing from Housing End A2	36 mm 1.417 in
Inner Ring Width B	85.7 mm 3.374 in
Center of Bearing from Bearing End S	34.1 mm 1.343 in
Dimension A0	87.6 mm 3.453 in
Bolt Size	M20
Grease Nipple Size	A-R1/8

Basic Load Ratings -						
	Static Load Rating	61900 N 13916 lbf				
	Dynamic Load Rating	84000 N 18884 lbf				





Bearing Number	UC217			
Load Ratings - C _r	18884	lbf	84000	N
Load Ratings - C _{0r}	13916	lbf	61900	N
Weight	19.6	lb	8.9	kg
Bolt Size	M20			

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

UCF217

UCF 200 Four-Bolt Flanged Mounted Bearings - Set Screw Locking

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY