



The Timken Company


4500 Mt Pleasant St. NW

N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number UCF218, UCF 200 Four-Bolt Flanged Mounted Bearings - Set Screw Locking



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#)

Specifications

| | |
|-----------------------------|-------------------------|
| Bearing Number | UC218 |
| Shaft Size d | 90 mm |
| UPC Code | 087796074026 |
| Locking Style | Set Screw Locking |
| Housing Construction | Four-Bolt Square Flange |

Dimensions

| | |
|-----------------------|--------------------|
| Total Length L | 235 mm 9.252 in |
|-----------------------|--------------------|



Housing Width A 68 mm
2.677 in

Bolt Hole Spacing J 187 mm
7.362 in

Bolt Hole Size N 23 mm
0.906 in

Flange Thickness A1 25 mm
0.984 in

Center of Bearing from Housing End A2 40 mm
1.575 in

Inner Ring Width B 96 mm
3.780 in

Center of Bearing from Bearing End S 39.7 mm
1.563 in

Dimension A0 96.3 mm
3.781 in



Bolt Size M20

Grease Nipple Size A-R1/8

Basic Load Ratings

Static Load Rating 71500 N
16074 lbf

Dynamic Load Rating 96100 N
21604 lbf



| | | | | |
|--------------------------------|-------|-----|-------|----|
| Bearing Number | UC218 | | | |
| Load Ratings - C _r | 21604 | lbf | 96100 | N |
| Load Ratings - C _{0r} | 16074 | lbf | 71500 | N |
| Weight | 25.1 | lb | 11.4 | kg |
| Bolt Size | M20 | | | |

TIMKEN

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

UCF218

UCF 200 Four-Bolt Flanged Mounted
Bearings - Set Screw Locking

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY