



## OPEN RING spanner, metric, double hex.

24



Art.No. **41081619**  
GTIN **4018754086313**  
Model **24 16 X 19**



### Label.

OPEN RING spanner size 16 x 19mm L.220mm

### Features.

- double hex.
- DIN 3118/ISO 3318
- Chrome Alloy Steel, chrome plated

## Advantages.

With bi-hexagon

STAHLWILLE: For over 160 years, we as a traditional German company from Wuppertal have stood for tools that are appreciated around the world for their excellent quality

## Product highlights.



### More Choice.

As one of only a few manufacturers, STAHLWILLE offers a comprehensively diverse range of metric, imperial, spline drive and TORX® spanners.

### Slimmer.

Extremely thin-walled rings facilitate work in confined spaces. In addition, the rings are higher than standard nuts – which prevents the spanner seizing on the nut.

### More Accurate.

Our very tight manufacturing tolerances and reproducible dimensional accuracy ensure that one STAHLWILLE spanner is as close-fitting as the next. In this way, both open-jaw and ring spanners will always firmly hug the fastener head – for excellent power-lock.



## Technologies and features.




### Anti-Slip-Drive

The AS-Drive® profile enables high force transmission without damaging the fasteners. While the force acts on the flats of the screws, the corners are left free and are not rounded off.



### High Performance Quality (HPQ®)



High-performance steel, extremely resilient, yet thin-walled and ideal for working in confined spaces.



### Double T-profile.

The double T-profile used for the STAHLWILLE open-jaw and ring spanners saves material where it is not needed and guarantees two things at once: peak dimensional stability and extremely low weight, whichever spanner size you pick up. As a result, tool-kits from STAHLWILLE weigh considerably less. But that is not all: the double T-profile from STAHLWILLE fits snugly in the hand, allows fatigue-free working and can be gripped comfortably and safely. This also increases user safety.

## Technical Drawing.



## Technical Attributes.

<b>Output profile</b>	Double hexagon AS-drive
<b>Length mm (L)</b>	220 mm
<b>m1</b>	13 mm
<b>m2</b>	15,8 mm
<b>Size 1 [mm]</b>	16 mm
<b>Size 2 [mm]</b>	19 mm

## Logistics data.

<b>Length (IFS)</b>	220
<b>Width (IFS)</b>	34
<b>Height (IFS)</b>	17
<b>Length (packed, mm)</b>	240
<b>Width (packed, mm)</b>	75
<b>Height (packed, mm)</b>	40
<b>Volume (packed, mm)</b>	0.72 dm3
<b>Code</b>	41081619
<b>Weight (gross, kg)</b>	0,765
<b>Weight PAP (kg)</b>	0,000
<b>Weight PVC (kg)</b>	0,010
<b>GTIN</b>	4018754086313
<b>Country of origin</b>	GERMANY
<b>Region of origin</b>	Nordrhein-Westfalen
<b>WEEE/Electrical Act</b>	nicht ear-pflichtig
<b>Customs tariff no.</b>	82041100
<b>Numbers of content units per order units</b>	5
<b>Weight</b>	155 g

## Variants.

Code	Article number (ERP)	Article description (Autom._)	GTIN
41081417	24 14 X 17	OPEN RING spanner size 14 x 17mm L.200mm	4018754021949
41081619	24 16 X 19	OPEN RING spanner size 16 x 19mm L.220mm	4018754086313
41081719	24 17 X 19	OPEN RING spanner size 17 x 19mm L.220mm	4018754021956
41081922	24 19 X 22	OPEN RING spanner size 19 x 22mm L.230mm	4018754021970
41082224	24 22 X 24	OPEN RING spanner size 22 x 24mm L.245mm	4018754021994
41082427	24 24 X 27	OPEN RING spanner size 24 x 27mm L.270mm	4018754022007
41082736	24 27 X 36	OPEN RING spanner size 27 x 36mm L.300mm	4018754022014
41083032	24 30 X 32	OPEN RING spanner size 30 x 32mm L.300mm	4018754022021

## GTIN-Code.



### **STAHLWILLE Eduard Wille GmbH & Co. KG**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200  
info@stahlwille.de · [www.stahlwille.de](http://www.stahlwille.de) · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal  
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal