

## The Timken Company


4500 Mt Pleasant St. NW N. Canton, OH 44720

**Phone:** (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

## Part Number UCFC201, UCFC 200 Piloted Round Flanged Mounted Bearings - Set Screw Locking






## <u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u>


Specifications –					
	Bearing Number	UC201			
	Shaft Size d	12 mm			
	UPC Code	087796139770			
	Locking Style	Set Screw Locking			
	Housing Construction	Round Flange			

Din	nensions		-
	Total Height L	100.000 mm 3.938 in	
	ilot Outside Diameter H3	62 mm	

Bolt Circle Diameter J	78 mm 3.078 in
Bolt Hole Spacing J1	55.1 mm 2.169 in
Bolt Hole Size N	12 mm 0.469 in
Flange Width A1	20.5 mm 0.812 in
Center of Bearing from Housing End A2	10 mm 0.391 in
Pilot Width A3	5 mm
Inner Ring Width B	31 mm 1.22 in
Center of Bearing from Bearing End S	12.7 mm 0.5 in
Dimension A4	28.3 mm 1.125 in

Basic Load Ratings –						
Static Load Rating	6650 N 1495 lbf					
Dynamic Load Rating	12800 N 2878 lbf					





Bearing Number	UC201			
Load Ratings - C <sub>r</sub>	2878	lbf	12800	N
Load Ratings - C <sub>0r</sub>	1495	lbf	6650	N
Weight	1.5	lb	0.7	kg
Bolt Size	M10			

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

## UCFC201

UCFC 200 Piloted Round Flanged Mounted Bearings - Set Screw Locking

FOR DISCUSSION ONLY

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.