



The Timken Company


4500 Mt Pleasant St. NW

N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number UCFC202, UCFC 200 Piloted Round Flanged Mounted Bearings - Set Screw Locking



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#)

Specifications

Bearing Number	UC202
Shaft Size d	15 mm
UPC Code	087796139930
Locking Style	Set Screw Locking
Housing Construction	Round Flange


Dimensions

Total Height L	100.000 mm 3.938 in
 Pilot Outside Diameter H3	62 mm

Bolt Circle Diameter J	78 mm 3.078 in
Bolt Hole Spacing J1	55.1 mm 2.169 in
Bolt Hole Size N	12 mm 0.469 in
Flange Width A1	20.5 mm 0.812 in
Center of Bearing from Housing End A2	10 mm 0.391 in
Pilot Width A3	5 mm
Inner Ring Width B	31 mm 1.22 in
Center of Bearing from Bearing End S	12.7 mm 0.5 in
Dimension A4	28.3 mm 1.125 in

Basic Load Ratings

Static Load Rating	6650 N 1495 lbf
Dynamic Load Rating	12800 N 2878 lbf



Bearing Number	UC202			
Load Ratings - C _r	2878	lbf	12800	N
Load Ratings - C _{0r}	1495	lbf	6650	N
Weight	1.5	lb	0.7	kg
Bolt Size	M10			

TIMKEN®

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

UCFC202

UCFC 200 Piloted Round Flanged Mounted
Bearings - Set Screw Locking

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY