

TECHNICAL DATA SHEET

GLOVES G-NIT BLACK PLUS

Reference 887677 to 887678 & 840039 to 840042

Feature:

Black polyamide knitted glove.

Black foam nitrile coating on the palm and fingers.

Open back. Elasticated knitted wrist.

Gauge 13. Length: 24,5 cm

Size: 6 - 7 - 8 - 9 - 10 - 11



COMFORT

The ergonomics seamless knit construction conforms better to the natural shape of the hand for greater strength and durability, superior comfort and ventilation.

The filament yarn reduce linting for the most sensitive applications and easily laundered for extended use.

The tight knit gives the glove perfect support, limits the penetration of dirt and offers a good touch.

The foamy coating and ventilated back optimize the glove's breathability.

The nitrile foam improves the grip.

The knitted and elasticated wrist gives the glove good support.

RESISTANCE

The nitrile coating at the palm and fingertips provides outstanding abrasion resistance and impermeability to oils.

HYGIENE

The black colour is suitable for work in a soiled atmosphere.

Conformity:

UK CA

CE CATEGORY: II Intermediary risks REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

EC Type Examination Certificate issued by CTC notified body No. 0075.

EN 388:2016 - Mechanical Hazards Abrasion Resistance

Dexterity: Class 5

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)



4: Resistance to abrasion (from 0 to 4)

1: Resistance to cut (from 0 to 5)

2 : Resistance to tear (from 0 to 4)

1: Resistance to perforation (from 0 to 4)

X : Cutting resistance EN ISO (Newton)

EN420:2003+A1:2009 General requirements

