


Abrasive paper, self-fastening

PS 22 K



Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	E-paper

Product benefit

Universal abrasive disc for metalworking and woodworking - Uniform surface scratch pattern - Available in many grit sizes and dimensions

Application

Wood	●
Metals	●
Stainless steel	⦿
Paint/Varnish/Filler	⦿
Plastic	⦿

Applications

- Paint shops
- Plastics processing industry
- Wood processing industry

Available grits:

16	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	1500	2000	2500	3000
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------

Diameter in mm	grain	Hole pattern	type of coat.abras.	Packing unit/pcs.	Cat. number
90	120	○ 0	PS 22 K	50	279697
125	40	☺ GLS 19	PS 22 K	50	332637
125	60	☺ GLS 19	PS 22 K	50	305133
125	80	☺ GLS 19	PS 22 K	50	254920

Klingspor Schleifsysteme GmbH und Co. KG

Hüttenstraße 36 - 35708 Haiger - Germany

Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186

sales@klingspor.de - www.klingspor.de



Diameter in mm	grain	Hole pattern	type of coat.abras.	Packing unit/pcs.	Cat. number
125	100	⊙ GLS 19	PS 22 K	50	294704
125	120	⊙ GLS 19	PS 22 K	50	314120
125	150	⊙ GLS 19	PS 22 K	50	265061
125	180	⊙ GLS 19	PS 22 K	50	265062
125	220	⊙ GLS 19	PS 22 K	50	300418
125	400	⊙ GLS 19	PS 22 K	50	321778
125	80	○ 0	PS 22 K	50	6774
125	100	○ 0	PS 22 K	50	2296
125	120	○ 0	PS 22 K	50	6775
125	150	○ 0	PS 22 K	50	78163
125	220	○ 0	PS 22 K	50	97176
125	320	○ 0	PS 22 K	50	93284
125	40	⊙ GLS 5	PS 22 K	50	89486
125	60	⊙ GLS 5	PS 22 K	50	89488
125	80	⊙ GLS 5	PS 22 K	50	89489
125	120	⊙ GLS 5	PS 22 K	50	89493
125	180	⊙ GLS 5	PS 22 K	50	89495
125	220	⊙ GLS 5	PS 22 K	50	90758
125	320	⊙ GLS 5	PS 22 K	50	89496
125	400	⊙ GLS 5	PS 22 K	50	104778
150	40	○ 0	PS 22 K	50	20207
150	80	○ 0	PS 22 K	50	6936
150	120	○ 0	PS 22 K	50	6937
150	320	⊙ GLS 1	PS 22 K	50	89450
150	24	⊙ GLS 3	PS 22 K	50	93321
150	40	⊙ GLS 3	PS 22 K	50	89181
150	60	⊙ GLS 3	PS 22 K	50	86634
150	80	⊙ GLS 3	PS 22 K	50	86635
150	100	⊙ GLS 3	PS 22 K	50	97072
150	120	⊙ GLS 3	PS 22 K	50	86636
150	150	⊙ GLS 3	PS 22 K	50	86637
150	180	⊙ GLS 3	PS 22 K	50	87528
150	220	⊙ GLS 3	PS 22 K	50	100157
150	320	⊙ GLS 3	PS 22 K	50	97779

Klingspor Schleifsysteme GmbH und Co. KG

Hüttenstraße 36 - 35708 Haiger - Germany

Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186

sales@klingspor.de - www.klingspor.de



Diameter in mm	grain	Hole pattern	type of coat.abras.	Packing unit/pcs.	Cat. number
150	400	☺ GLS 3	PS 22 K	50	128356
180	320	☺ GLS 77	PS 22 K	50	364528
180	400	☺ GLS 77	PS 22 K	50	364833

Klingspor Schleifsysteme GmbH und Co. KG

Hüttenstraße 36 - 35708 Haiger - Germany

Fon + 49 (0) 2773 922-0 Fax + 49 (0) 2773 922-186

sales@klingspor.de - www.klingspor.de

