

The Timken Company


4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number UCP205, UCP 200 Pillow Block Housed Units - Set Screw Locking






<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u>

Specifications –				
	Bearing Number	UC205		
	Shaft Size d	25 mm		
	Weight	1.80 lb 0.8 Kg		
	UPC Code	087796071582		
	Locking Style	Set Screw Locking		
	Housing Construction	Two-Bolt Pillow Block		

Dimensions			
	Base to Center Height H	36.50 mm 1.437 in	
	Total Length L	140.00 mm 5.512 in	
	Housing Width A	38.00 mm	

	1.470
Bolt Hole Spacing J	105.00 mm 4.134 in
Bolt Hole Size N	13.00 mm 0.512 in
Bolt Hole Length N1	18.00 mm 0.709 in
Foot Height H1	16.00 mm
Total Height H2	70.00 mm 2.766 in
Dimension L1	38.00 mm 1.500 in
Inner Ring Width B	34.10 mm 1.343 in
Center of Bearing from End S	14.3 mm 0.563 in

Bas	sic Load Ratings		-
	Static Load Rating	1765 lbf 7850 N	
	Dynamic Load Rating	3147 lbf 14000 N	



Bearing Number	UC205			
Load Ratings - C _r	3147	lbf	14000	N
Load Ratings - C _{0r}	1765	lbf	7850	N
Weight	1.8	lb	0.8	kg
Bolt Size	M10			

THE TIMKEN COMPANY NORTH CANTON, OHIO USA

UCP205

UCP 200 Pillow Block Housed Units - Set Screw Locking

FOR DISCUSSION ONLY

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.