




The Timken Company
 4500 Mt Pleasant St. NW
 N. Canton, OH 44720
Phone: (234) 262-3000

E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number UCP206, UCP 200 Pillow Block Housed Units - Set Screw Locking



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#)

Specifications

Bearing Number	UC206
Shaft Size d	30 mm
Weight	2.9 lb 1.30 Kg
UPC Code	087796071964
Locking Style	Set Screw Locking
Housing Construction	Two-Bolt Pillow Block


Dimensions

Base to Center Height H	42.90 mm 1.689 in
Total Length L	165.00 mm 6.496 in
Housing Width A	48.00 mm 1.890 in

	1.870 in
Bolt Hole Spacing J	121.00 mm 4.764 in
Bolt Hole Size N	17.00 mm 0.669 in
Bolt Hole Length N1	21.00 mm 0.827 in
Foot Height H1	17.00 mm
Total Height H2	84.00 mm 3.307 in
Dimension L1	48.00 mm 1.875 in
Inner Ring Width B	38.10 mm 1.500 in
Center of Bearing from End S	15.9 mm 0.626 in

Basic Load Ratings

Static Load Rating	2540 lbf 11300 N
Dynamic Load Rating	4384 lbf 19500 N



Bearing Number	UC206			
Load Ratings - C _r	4385	lbf	19500	N
Load Ratings - C _{0r}	2540	lbf	11300	N
Weight	2.9	lb	1.3	kg
Bolt Size	M14			

TIMKEN

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

UCP206

UCP 200 Pillow Block Housed Units - Set
Screw Locking

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY