

The Timken Company


4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number UCP208, UCP 200 Pillow Block Housed Units - Set Screw Locking






<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u>

Specifications –			
	Bearing Number	UC208	
	Shaft Size d	40 mm	
	Weight	4.4 lb 2 Kg	
	UPC Code	087796072046	
	Locking Style	Set Screw Locking	
	Housing Construction	Two-Bolt Pillow Block	

Dimensions -			
	Base to Center Height H	49.20 mm 1.937 in	
	Total Length L	184.00 mm 7.244 in	
	Housing Width A	54.00 mm	

	Z.1Z0 III
Bolt Hole Spacing J	137.00 mm 5.394 in
Bolt Hole Size N	17.00 mm 0.669 in
Bolt Hole Length N1	21.00 mm 0.827 in
Foot Height H1	18.00 mm
Total Height H2	98.00 mm 3.858 in
Dimension L1	53.00 mm 2.094 in
Inner Ring Width B	49.20 mm 1.937 in
Center of Bearing from End S	19 mm 0.748 in

Bas	sic Load Ratings		-
	Static Load Rating	4002 lbf 17800 N	
	Dynamic Load Rating	6542 lbf 29100 N	



Bearing Number	UC208			
Load Ratings - C _r	6542	lbf	29100	N
Load Ratings - C _{0r}	4002	lbf	17800	N
Weight	4.4	lb	2	kg
Bolt Size	M14			

any other reason.

THE TIMKEN COMPANY NORTH CANTON, OHIO USA

UCP208

UCP 200 Pillow Block Housed Units - Set Screw Locking

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for

FOR DISCUSSION ONLY