

The Timken Company


4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number UCFC218, UCFC 200 Piloted Round Flanged Mounted Bearings - Set Screw Locking






<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u>

Specifications –				
	Bearing Number	UC218		
	Shaft Size d	90 mm		
	UPC Code	087796140981		
	Locking Style	Set Screw Locking		
	Housing Construction	Round Flange		
	9			

Dir	mensions		-
	Total Height L	265 mm 10.438 in	
	ilot Outside Diameter H3	190 mm	

Bolt Circle Diameter J	220 mm 8.656 in
Bolt Hole Spacing J1	155.5 mm 6.125 in
Bolt Hole Size N	23 mm 0.906 in
Flange Width A1	50 mm 1.771 in
Center of Bearing from Housing End A2	22 mm 0.859 in
Pilot Width A3	18 mm
Inner Ring Width B	96 mm 3.780 in
Center of Bearing from Bearing End S	39.7 mm 1.563 in
Dimension A4	78.3 mm 3.094 in

Basic Load	l Ratings		-
Stati	c Load Rating	71500 N 16074 lbf	
Dyna	nmic Load Rating	96100 N 21604 lbf	



Bearing Number	UC218			
Load Ratings - C _r	21604	lbf	96100	N
Load Ratings - C _{0r}	16074	lbf	71500	N
Weight	32.6	lb	14.8	kg
Bolt Size	M20			

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

UCFC218

UCFC 200 Piloted Round Flanged Mounted Bearings - Set Screw Locking

FOR DISCUSSION ONLY

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.