

The Timken Company


4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • **Web site:** <u>www.timken.com</u>

Part Number UCFL201, UCFL 200 Two-Bolt Flanged Mounted Bearings - Set Screw Locking






<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u>


Specifications –				

Dimensions -				
	Total Length H	113 mm		
	Total Height L	60 mm		
	Housing Width A	25.5 mm		
	olt Hole Spacing J	90 mm		

Bolt Hole Size N	12 mm
Flange Thickness A1	11 mm
Center of Bearing from Housing End A2	15 mm
Inner Ring Width B	31 mm
Center of Bearing from Bearing End S	12.7 mm
Dimension A0	33.3 mm
Bolt Size	M10

Bas	ic Load Ratings		-
	Static Load Rating	6650 N	
	Dynamic Load Rating	12800 N	





Bearing Number	UC201			
Load Ratings - C _r	2878	lbf	12800	N
Load Ratings - C _{0r}	1495	lbf	6650	N
Weight	1.1	lb	0.5	kg
Bolt Size	M10			

THE TIMKEN COMPANY NORTH CANTON, OHIO USA

UCFL201

UCFL 200 Two-Bolt Flanged Mounted Bearings - Set Screw Locking

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY