

## GLOVES G-CUT NIT D

Item #	EAN	Product
<b>880405</b>	3660338338151	Size 6
<b>880406</b>	3660338338168	Size 7
<b>880407</b>	3660338338175	Size 8
<b>880408</b>	3660338338182	Size 9
<b>880409</b>	3660338338199	Size 10
<b>880410</b>	3660338338205	Size 11

### Description

Seamless knitted gloves made of high-performance polyethylene fibre (HPPE). Gauge 13. Double coating Nitrile: Smooth blue Nitrile on palm, fingers and back at  $\frac{3}{4}$  and granular black nitrile on palm and fingertips. Excellent operating comfort  
 Sizes : 6 to 11

**Applications** Automotive, metallurgical and metal processing production and subcontracting industry, glass manufacturing and processing, mechanical and industrial maintenance industry. Assembly and assembly work. Building and public works trades.

### Characteristics

Double nitrile coating for better waterproofing. Excellent grip even in oily and greasy environments.



### Standards and certifications

**UK  
CA**

This glove has been tested as per:

- **EN 420 : 2003 +A1 : 2009.** Protective gloves - General requirements and test methods.
- **EN 388 : 2016.** Protective gloves against mechanical risks.

It complies with European Regulation (EU) 2016/425 on Personal Protective Equipment (PPE). Category II.  
 EU type examination certificate (module B) issued by CTC. Notified body n°0075.

EN388:2016	Level 1	Level 2	Level 3	Level 4	Level 5	Levels G-CUT NIT D
Abrasion resistance (number of cycles)	100	500	2000	8000	-	<b>4</b>
Blade cut resistance (index)	1,2	2,5	5,0	10,0	20,0	<b>X</b>
Tear resistance (in Newtons)	10	25	50	75	-	<b>4</b>
Perforation resistance (in Newtons)	20	60	100	150	-	<b>3</b>

**EN 388:2016**



**4x43D**

Cut (as per EN ISO13997) (N)	Level A	Level B	Level C	Level D	Level E	Level F	Level G-CUT NIT D
	2	5	10	15	22	30	<b>D (16,9 N)</b>

### Packaging

- Individual packaging - 12 pairs per bag - 72 pairs per box