


The Timken Company 4500 Mt Pleasant St. NW

N. Canton, OH 44720 **Phone:** (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number UCF208-24, UCF 200 Four-Bolt Flanged Housed Units - Set Screw Locking






<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u>


Specifications -				
	Bearing Number	UC208-24		
	Shaft Size d	1 1/2 in		
	Weight	4.2 lb 1.9 Kg		
	UPC Code	087796073685		
	Locking Style	Set Screw Locking		
	Housing Construction	Four-Bolt Square Flange		

Din	nensions	-
	Grease Nipple Size	A-1/4-28UNF
	Total Length L	130.00 mm 5.118 in

Housing Width A	36.00 mm 1.417 in
Bolt Hole Spacing J	102.00 mm 4.016 in
Bolt Hole Size N	16 mm 0.630 in
Flange Thickness A1	15.00 mm 0.591 in
Center of Bearing from Housing End A2	21 mm 0.827 in
Inner Ring Width B	49.20 mm 1.937 in
Bolt Size	M14
Center of Bearing from Bearing End S	19 mm 0.748 in
Dimension A0	2.031 in 51.2 mm

Basic Load Ratings -					
	Static Load Rating	4002 lbf 17800 N			
	Dynamic Load Rating	6542 lbf 29100 N			





Bearing Number	UC208-24			
Load Ratings - C _r	6542	lbf	29100	N
Load Ratings - C _{0r}	4002	lbf	17800	N
Weight	4.2	lb	1.9	kg
Bolt Size	M14			

THE TIMKEN COMPANY NORTH CANTON, OHIO USA

UCF208-24

UCF 200 Four-Bolt Flanged Housed Units
- Set Screw Locking

FOR DISCUSSION ONLY

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.