

The Timken Company


4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • **Web site:** <u>www.timken.com</u>

Part Number UCFL211, UCFL 200 Two-Bolt Flanged Mounted Bearings - Set Screw Locking






<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u>


Specifications			-
	5		
	Bearing Number	UC211	
	Shaft Size d	55 mm	
	UPC Code	087796075993	
	Locking Style	Set Screw Locking	
	Housing Construction	Two-Bolt Flange	

Dimensions –			
	Total Length H	224 mm 8.819 in	
	Total Height L	130 mm 5.118 in	

	_		2020 . ago 2
	Housing Width A	43 mm 1.693 in	
	Bolt Hole Spacing J	184 mm 7.244 in	
	Bolt Hole Size N	19 mm 0.748 in	
	Flange Thickness A1	18 mm 0.709 in	
	Center of Bearing from Housing End A2	25 mm 0.984 in	
	Inner Ring Width B	55.6 mm 2.189 in	
	Center of Bearing from Bearing End S	22.2 mm 0.874 in	
	Dimension A0	58.4 mm 2.297 in	
	Bolt Size	M16	

Basic Load Ratings -			
	Static Load Rating	29400 N 6609 lbf	
	Dynamic Load Rating	43400 N 9757 lbf	





Bearing Number	UC211			
Load Ratings - C _r	9757	lbf	43400	N
Load Ratings - C _{0r}	6609	lbf	29400	N
Weight	7.3	lb	3.3	kg
Bolt Size	M16			

THE TIMKEN COMPANY NORTH CANTON, OHIO USA

UCFL211

UCFL 200 Two-Bolt Flanged Mounted Bearings - Set Screw Locking

ns or for FOR

FOR DISCUSSION ONLY

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.