



Assembly parts		D_c mm	13,5-16	16,5-20	20,5-24	24,5-29
	Clamping screw for insert		FS2120 (Torx 6 IP)	FS2111 (Torx 7 IP)	FS1454 (Torx 8 IP)	FS1457 (Torx 9 IP)
	Tightening torque		0,4 Nm	0,9 Nm	1,2 Nm	2,0 Nm

Accessories		D_c mm	13,5-20	20,5-24	24,5-29
	Torque screwdriver		FS2001	FS2001	FS2003
	Interchangeable blade		FS2011 (Torx 7 IP)	FS2012 (Torx 8 IP)	FS2013 (Torx 9 IP)

Indexable inserts																	
			P HC					M HC		K HC			N HC	S HC		H	HC
Designation		Size	WKP25 S	WKP35 S	WSP45	WMP35	WXP45	WSP45	WMP35	WKP25 S	WKP35 S	WXK25	WNN25	WSP45	WMP35	WXP40	
 Outer insert	P4840P- . R-A57	1-4	☺	☺	☺			☺		☺	☺			☺			
	P4840P- . R-E57	1-4	☺	☺	☺			☺		☺	☺			☺			
	P4840P- . R-E67	1-4	☺	☺	☺			☺		☺	☺			☺			
	P4841P- . R-A57	1-4	☺	☺	☺			☺		☺	☺			☺			
	P4841P- . R-E57	1-4	☺	☺	☺			☺		☺	☺			☺			
 Centre insert	P4841C- . R-A57	1-4		☺							☺					☺	
	P4841C- . R-E57	1-4		☺							☺					☺	
	P4840C- . R-E67	1-4		☺							☺					☺	

HC = Coated carbide



