## CRHA Spring Rewind High Visibility, High Capacity Reels

High visibility, high capacity CRHA series spring rewind hose reels. Constructed in a heavy gauge steel and finished in a durable, high gloss, powder coated paint. Strength, performance and reliability are the signature features of this series of reel, along with the professional, modern look. Capacities range from 30m x 3/, " to 30m x 1" of internal bore hose, with working pressures up to 2,700psi. The compact size both height and width make this range of reel a must

## FFATURES:

- Constructed in heavy gauge mild steel
- Highly visible yellow powder coated finish
- Rolled and ribbed side discs for strength and rigidity
- Large 4 way roller guide to reduce hose wear
- Externally mounted spring canister and swivel assembly for easy maintenance

for applications where longer and larger hoses are required.

- Floor, wall mounting options
- Pressures up to 2700psi Capacities up to 30m

I.D.	O.D.	Length	Max pressure	Swive in/out	Reel dimensions (mm) W x D x H	Weight (kg)
3/8"	5/8"	20m	2700 psi	3/8"/3/8"	316 x 525 x 485	22
3/ "	5/,"	30m	2700 psi	3/8"/3/8"	316 x 575 x 540	26
1/2"	7/8"	20m	2500 psi	1/2" / 1/2"	378 x 525 x 485	24
1/2"	7/8"	30m	2500 psi	1/2" / 1/2"	378 x 575 x 540	30
3/4"	1 <sup>1</sup> / <sub>8</sub> "	10m	1500 psi	3/4"/3/4"	367 x 503 x 515	35
3/4"	1 <sup>1</sup> / <sub>8</sub> "	20m	1500 psi	3/4"/3/4"	378 x 575 x 565	40
3/4"	1 <sup>1</sup> / <sub>8</sub> "	30m	1500 psi	3/4"/3/4"	448 x 625 x 620	45
1"	1 1/2"	10m	1200 psi	1" / 1"	425 x 503 x 515	45
1"	1 1/2"	20m	1200 psi	1" / 1"	448 x 575 x 565	48
1"	1 1/2"	30m	1200 psi	1" / 1"	496 x 568 x 620	50
	3/8" 3/8" 1/2" 1/2" 3/4" 3/4" 3/4" 1"	3/8" 5/8 3/8" 5/8 1/2" 7/8 1/2" 7/8 1/2" 7/8 3/4" 11/8 3/4" 11/8 3/4" 11/8" 1" 11/2" 1" 11/2"	3/ <sub>8</sub> " 5/ <sub>8</sub> " 20m 3/ <sub>8</sub> " 5/ <sub>8</sub> " 30m 1/ <sub>2</sub> " 7/ <sub>8</sub> " 20m 1/ <sub>2</sub> " 7/ <sub>8</sub> " 20m 1/ <sub>2</sub> " 7/ <sub>8</sub> " 30m 3/ <sub>4</sub> " 1 1/ <sub>8</sub> " 10m 3/ <sub>4</sub> " 1 1/ <sub>8</sub> " 20m 3/ <sub>4</sub> " 1 1/ <sub>8</sub> " 30m 1" 1 1/ <sub>2</sub> " 10m 1" 1 1/ <sub>2</sub> " 20m	I.D. O.D. Length pressure    3/8"   5/8"   20m   2700 psi     3/8"   5/8"   30m   2700 psi     1/2"   7/8"   20m   2500 psi     1/2"   7/8"   30m   2500 psi     1/2"   7/8"   30m   1500 psi     3/4"   1 1/8"   20m   1500 psi     3/4"   1 1/8"   30m   1500 psi     1"   1 1/2"   10m   1200 psi     1"   1 1/2"   20m   1200 psi	I.D. O.D. Length pressure in/out    3/8"   5/8"   20m   2700 psi   3/8" / 3/8"     3/8"   5/8"   30m   2700 psi   3/8" / 3/8"     1/2"   7/8"   20m   2500 psi   1/2" / 1/2"     1/2"   7/8"   30m   2500 psi   1/2" / 1/2"     3/4"   1 1/8"   10m   1500 psi   3/4" / 3/4"     3/4"   1 1/8"   20m   1500 psi   3/4" / 3/4"     3/4"   1 1/8"   30m   1500 psi   3/4" / 3/4"     1"   1 1/2"   10m   1200 psi   1" / 1"     1"   1 1/2"   20m   1200 psi   1" / 1"	I.D. O.D. Length pressure in/out Wx Dx H  3/8" 5/8" 20m 2700 psi 3/8"/3/8" 316 x 525 x 485  3/8" 5/8" 30m 2700 psi 3/8"/3/8" 316 x 575 x 540  1/2" 7/8" 20m 2500 psi 1/2"/1/2" 378 x 525 x 485  1/2" 7/8" 30m 2500 psi 1/2"/1/2" 378 x 575 x 540  3/4" 1 1/8" 10m 1500 psi 3/4"/3/4" 367 x 503 x 515  3/4" 1 1/8" 20m 1500 psi 3/4"/3/4" 378 x 575 x 565  3/4" 1 1/8" 30m 1500 psi 3/4"/3/4" 448 x 625 x 620  1" 1 1/2" 10m 1200 psi 1"/1" 425 x 503 x 515  1" 1 1/2" 20m 1200 psi 1"/1" 448 x 575 x 565

Supplied as bare reel, hose available at extra cost (Application required).





