

The Timken Company


4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

Part Number UCF211-32, UCF 200 Four-Bolt Flanged Housed Units - Set Screw Locking






<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u>


Specifications -				
	Bearing Number	UC211-32		
	Shaft Size d	2 in		
	Weight	7.5 lb 3.400 Kg		
	UPC Code	087796073814		
	Locking Style	Set Screw Locking		
	Housing Construction	Four-Bolt Square Flange		

Din	nensions		-
	Grease Nipple Size	A-R1/8	
	Total Length L	162.00 mm 6.378 in	

Housing Width A	43.00 mm 1.693 in
Bolt Hole Spacing J	130.00 mm 5.118 in
Bolt Hole Size N	19.00 mm 0.748 in
Flange Thickness A1	18 mm 0.709 in
Center of Bearing from Housing End A2	25.00 mm 0.984 in
Inner Ring Width B	55.60 mm 2.189 in
Bolt Size	M16
Center of Bearing from Bearing End S	22.2 mm 0.874 in
Dimension A0	2.297 in 58.4 mm

Bas	ic Load Ratings		-
	Static Load Rating	6609 lbf 29400 N	
	Dynamic Load Rating	9757 lbf 43400 N	





Bearing Number	UC211-32			
Load Ratings - C _r	9757	lbf	43400	N
Load Ratings - C _{0r}	6609	lbf	29400	N
Weight	7.5	lb	3.4	kg
Bolt Size	M16			

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

UCF211-32

UCF 200 Four-Bolt Flanged Housed Units
- Set Screw Locking

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY