

## **The Timken Company**


4500 Mt Pleasant St. NW N. Canton, OH 44720

**Phone:** (234) 262-3000

**E-Mail:** <u>CustomerCAD@timken.com</u> • **Web site:** <u>www.timken.com</u>

## Part Number UCFL214, UCFL 200 Two-Bolt Flanged Mounted Bearings - Set Screw Locking






## <u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u>


Bearing Number UC214	
Shaft Size d 70 mm	
<b>UPC Code</b> 087796139558	
Locking Style Set Screw Locking	
Housing Construction Two-Bolt Flange	

Dimensions -						
	Total Length H	265 mm				
	Total Height L	160 mm				
	Housing Width A	54 mm				
	olt Hole Spacing J	216 mm				

Bolt Hole Size N	23 mm
Flange Thickness A1	20 mm
Center of Bearing from Housing End A2	31 mm
Inner Ring Width B	74.6 mm
Center of Bearing from Bearing End S	30.2 mm
Dimension A0	75.4 mm
Bolt Size	M20

Basic Load Ratings		-
Static Load Rating	44100 N	
Dynamic Load Rating	62200 N	
Dynamic Load Rating	02200 N	





Bearing Number	UC214			
Load Ratings - C <sub>r</sub>	13983	lbf	62200	N
Load Ratings - C <sub>0r</sub>	9914	lbf	44100	N
Weight	12.6	lb	5.7	kg
Bolt Size	M20			

THE TIMKEN COMPANY NORTH CANTON, OHIO USA

## UCFL214

UCFL 200 Two-Bolt Flanged Mounted Bearings - Set Screw Locking

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY