



BR 30/4 C

The BR 30/4 C scrubber drier is light and compact – weighing only 11.5 kg, this highly innovative and powerful vacuum is ideal for cleaning hard surfaces from 20 to 200 m² as the perfect alternative to manual cleaning. Floors are immediately dry and non-slip after cleaning. Ideal for cleaning of smaller shops, restaurants, petrol stations, supermarkets, sanitary areas, hotels and snack areas or as a supplement to an existing scrubber drier.

1 High-speed roller brush

- Ten times higher contact pressure than manual cleaning.
- The roller brush also cleans structured surfaces and crevices.

2 Dries immediately

- The soft suction lips remove moisture – backwards and forwards.
- The floor is dry immediately.

3 Suction can be switched off

- Suction can be switched off via the foot pedal
- Cleaning fleet can be applied and then suctioned for deeper cleaning.

4 Tanks are removable

- The handy fresh water tank can be removed and filled in small sinks.
- The dirty water tank can be removed separately and, for example, be emptied in the sink.



BR 30/4 C

- Suction can be switched off
- Cleans forwards and backwards

Technical data

Order No.		1.783-220.0
EAN code		4039784717862
Brush working width	mm	300
Working width, vacuuming	mm	300
Rated input power / Amps	W	820
Fresh/dirty water tank	l	4 / 4
Brush contact pressure	g/cm²	100 /
Brush speed	rpm	1450
Max. area performance	m²/h	200
Current type	V / Hz	220-240 / 50-60
Weight (with accessories)	kg	11.5
Dimensions (L × W × H)	mm	390 × 335 × 1180


Equipment

Roller brush	■
2-tank system	■
Mains operation	■
Transport wheels	■
Two squeegees, straight	■

■ Included in the scope of supply.

BR 30/4 C 1.783-220.0


KÄRCHER



		Order No.	Hardness / Brush type	Length	Colour	Quantity	Price	Description	
Roller brushes									
Roller brush	1	4.762-005.0	medium	300 mm	red	1 piece(s)		Roller brush, medium-hard, red. Length: 300 mm. With wear-resistant star-wheel mechanism. For normal use. Bristles: Polypropylene, 0.2 mm thick, 11.5 mm long.	■
	2	4.762-452.0	soft	300 mm	White	1 piece(s)		Roller brush, soft, white. Length: 300 mm. With wear-resistant star-wheel mechanism. For cleaning sensitive floors and polishing. Bristles: Polyamide, 0.15 mm thick, 11.5 mm long.	□
	3	4.762-484.0	high / low	300 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints.	□
	4	4.762-499.0	soft	300 mm	blue	1 piece(s)		For carpet cleaning.	□

■ Included in the scope of supply. □ Available accessories.

BR 30/4 C
1.783-220.0



		Order No.	Length	Colour	Quantity	Price	Description	
Squeegee, complete								
Squeegee, straight	1	4.777-008.0	300 mm	blue	1 piece(s)		Straight, oil-resistant.	■
	2	4.777-324.0	300 mm	grey	1 piece(s)		For tackling oil and grease in areas such as kitchens or workshops.	□

■ Included in the scope of supply. □ Available accessories.

BR 30/4 C
1.783-220.0



		Order No.	Hardness / Brush type	Length	Dia- meter	Colour	Price	Description	
Microfibre shaft									
Microfibre roller	1	4.762-453.0	microfibre	300 mm	60 mm	light green		World first: Microfibre roller, length 300 mm. Combines the excellent cleaning power of microfibres with the advantages of roller technology. Ideal for cleaning fine stoneware tiles.	☐

■ Included in the scope of supply. ☐ Available accessories.

BR 30/4 C

1.783-220.0

KÄRCHER



		Order No.	Length	Colour	Quantity	Price	Description	
Miscellaneous								
Add-on kit ecolzero	1	5.388-133.0			1 piece(s)		With ecolzero for climate-neutral cleaning: as compensation for the CO ₂ which is produced by using the machine, we support climate protection projects worldwide.	☐
Filling hose	2	6.680-124.0	1.5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	☐
Extension cable	3	6.647-022.0	20 m		1 piece(s)		Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	☐
Carpet kit								
Carpet cleaning attachment kit	4	2.783-005.0			1 piece(s)		For intensive carpet cleaning. 2 suction lips for carpets + 1 blue roller brush + 1 l RM 764 + 0.5 l RM 769.	☐
Dosing aids								
DS 3 Cleaning Agent Dosing Station	5	2.641-811.0			1 piece(s)		After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes back-flow preventer (DIN EN 1717).	☐

■ Included in the scope of supply. □ Available accessories.