




The Timken Company
 4500 Mt Pleasant St. NW
 N. Canton, OH 44720
Phone: (234) 262-3000

E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number UCF205, UCF 200 Four-Bolt Flanged Housed Units - Set Screw Locking



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#)

Specifications

Bearing Number	UC205
Shaft Size d	25 mm
Weight	1.80 lb 0.8 Kg
UPC Code	087796073531
Locking Style	Set Screw Locking
Housing Construction	Four-Bolt Square Flange


Dimensions

Grease Nipple Size	A-1/4-28UNF
Total Length L	95.00 mm 3.740 in

Housing Width A	27.00 mm 1.063 in
Bolt Hole Spacing J	70.00 mm 2.756 in
Bolt Hole Size N	12 mm 0.472 in
Flange Thickness A1	13.00 mm 0.512 in
Center of Bearing from Housing End A2	16.00 mm 0.630 in
Inner Ring Width B	34.10 mm 1.343 in
Bolt Size	M10
Center of Bearing from Bearing End S	14.3 mm 0.563 in
Dimension A0	1.406 in 35.8 mm

Basic Load Ratings

Static Load Rating	1765 lbf 7850 N
Dynamic Load Rating	3147 lbf 14000 N



TIMKEN
THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

UCF205

UCF 200 Four-Bolt Flanged Housed Units
- Set Screw Locking

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY