

## **The Timken Company** 4500 Mt Pleasant St. NW


N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: <u>CustomerCAD@timken.com</u> • Web site: <u>www.timken.com</u>

## Part Number UCP211, UCP 200 Pillow Block Housed Units - Set Screw Locking






## <u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u>

Specifications –				
	Bearing Number	UC211		
	Shaft Size d	55 mm		
	Weight	7.9 lb 3.60 Kg		
	UPC Code	087796072718		
	Locking Style	Set Screw Locking		
	Housing Construction	Two-Bolt Pillow Block		

Dimensions –				
	Base to Center Height H	63.5 mm 2.50 in		
	Total Length L	219.00 mm 8.622 in		
	Housing Width A	60.00 mm		

	Z.30Z III
Bolt Hole Spacing J	171.00 mm 6.732 in
Bolt Hole Size N	20.00 mm 0.787 in
Bolt Hole Length N1	22.00 mm 0.866 in
Foot Height H1	23.00 mm
Total Height H2	125.00 mm 4.921 in
Dimension L1	65.00 mm 2.563 in
Inner Ring Width B	55.60 mm 2.189 in
Center of Bearing from End S	22.2 mm 0.874 in

Basic Load Ratings		-
Static Load Rating	6609 lbf 29400 N	
Dynamic Load Rati	ng 9757 lbf 43400 N	



Bearing Number	UC211			
Load Ratings - C <sub>r</sub>	9757	lbf	43400	N
Load Ratings - C <sub>0r</sub>	6609	lbf	29400	N
Weight	7.9	lb	3.6	kg
Bolt Size	M16			

THE TIMKEN COMPANY NORTH CANTON, OHIO USA

## **UCP211**

UCP 200 Pillow Block Housed Units - Set Screw Locking

FOR DISCUSSION ONLY

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.