

## Product Information

# 74 05 200

## High Leverage Diagonal Cutter

- For very tough, continuous use
- High cutting performance with minimum effort due to optimum coordination of the cutting edge angle and transmission ratio
- Precision cutting edges also induction-hardened (hardness approx. 64 HRC), for all wire types including piano wire
- With comfort handles: consisting of three ergonomic components for optimized handling and equipped with two KNIPEXtend interfaces for extensions



| General                                        |                       |
|------------------------------------------------|-----------------------|
| Article No.                                    | 74 05 200             |
| EAN                                            | 4003773035367         |
| pliers                                         | chrome-plated         |
| head                                           | chrome-plated         |
| handles                                        | with comfort handles  |
| Weight                                         | 303 g                 |
| Dimensions                                     | 200 x 52 x 21 mm      |
| Standard                                       | DIN ISO 5749          |
| REACH compliant                                | does not contain SVHC |
| RoHS compliant                                 | not applicable        |
| Technical details                              |                       |
| Cutting capacities soft wire (diameter)        | Ø                     |
| Cutting capacities medium hard wire (diameter) | Ø 4.2 mm              |
| Cutting capacities hard wire (diameter)        | Ø 3.0 mm              |
| Cutting capacities piano wire (diameter)       | Ø 2.5 mm              |

Technical changes and errors excepted



