

886579

1

 SIZES KG	TU MAX. 140 KG
CE	EN 361:2002
Attachment	Dorsal (A), Sternal (A)
 / 	2/3
MAT.  / 	 ALU /  STEEL Acier
MAT.  45 mm	Polyester
 SWL = 5KG /  MAXI 5KG / 	0 / 0 / 2
 Kg	1.48 KG




1

2

 LG. KG	2.0 m MAX. 140 KG
CE	EN 360:2002
MAT. 	Polyamide 6 - 30% fiber glass Aramid 21 mm
 / 	Acier  STEEL /  ALU
 360°	x2
R(kN)	15 kN
	YES – 100 KG
 Kg	1.25 KG



2



3



4

3

CE	EN 795:2012 Type B EN 566
	x1
LG.	0.8 m
MAT.	 20 mm PES
R (kN) / MBS (kN)	22 kN / 30 kN
	0.09 KG

4

MAT.	600D PES
DIM.	40 x 26 x 12 cm
VOL.	12 L
	5 KG


Nombre d'utilisateurs

Number of users

Cantidad de usuarios

Quantità di utilizzatori

Anzahl der Benutzer

Aantal gebruikers

R (kN) / MBS (kN)
Résistance statique (en kN) / Résistance à la rupture

Static strength / Minimum Breaking Strength

Resistencia estática (en kN) / Resistencia a la ruptura (en kN)

Resistenza statica (in kN) / Resistenza alla rottura (in kN)

Statische Festigkeit (in kN) / Bruchfestigkeit (in kN)

Statische sterkte (in kN) / breeksterkte



Taille Poids maxi utilisateur
Size Max. user weight
Tamaño Peso máximo del usuario
Dimensione Peso Max. dell'utente
Größe Höchstgewicht des Benutzers
Grootte Max. Gebruikersgewicht



Nombre de boucles de réglage / boucles automatiques
 Number of adjustment buckles / automatic buckles
Cantidad de hebillas de ajuste / hebillas automáticas
 Numero di fibbie di regolazione / fibbie autobloccanti
Anzahl der Einstellschnallen / Schnellverschluss-Schnallen
 Aantal afstelgespen / automatische gespen



Matière dés / boucles
 Material of rings / buckles
Material de anillas en D / hebillas
 Materia del D / Fibbie
Material D-Ringe/Schnallen
 Materiaal D-Ringen / gespen



Nombre de dés porte-outils / poignées porte-matériel / triangles porte-accessoires
 Number of tool-holding D-rings/equipment-holding handles/accessory-holding triangles
Cantidad de anillas en D portaherramientas / asas portamateriales / triángulos portaccesorios
 Numero di portautensili / maniglie portamateriale / triangoli portaccessori
Anzahl der Werkzeug-D-Ringe / Werkzeug-Halteringe / Zubehör-Triangel
 Aantal gereedschapshouder-D-ringen / materiaalhouderhandvatten / accessoireddriehoeken



Longueur Poids maxi utilisateur
Length Max. user weight
Longitud Peso máximo del usuario
Lunghhezza Peso Max. dell'utente
Länge Höchstgewicht des Benutzers
Lengte Max. Gebruikersgewicht



Matière carter / sangle
 Material of casing / webbing
Material cárter / correa
 Material dei carter / Cinghia
Material Gehäuse / Gurt
 Materiaal van omhulsel / band



Nombre d'émerillons
 Number of swivels
Cantidad de eslabones giratorios
 Numero di tornichetti
Anzahl der Wirbel
 Aantal wartels



Matière connecteur haut / connecteur bas
 Material of top connector / bottom connector
Material conector alto / conector bajo
 Materiale connettore alto / connettore basso
Material oberes / unteres Verbindungselement
 Materiaal bovenste connector / onderste connector



Homologué pour le travail à proximité d'arêtes vives
 Approved for work near sharp edges
Homologado para trabajo cerca de aristas vivas
 Omologato per lavoro in prossimità di spigoli vivi
Zugelassen für Arbeiten in der Nähe scharfer Kanten
 Goedgekeurd voor werk in de buurt van scherpe randen